

# CABINET ACCESSORIES



# BASE CABINET PULLOUT TRAY DIVIDER /FOIL WRAP HOLDER



- Designed for 9" and 12" base cabinets
- Natural maple construction with semi-gloss finish
- Full-extension, 135 lb. rated concealed slide w/ BLUMOTION soft-close
- Patented mounting straps (US Patent No. 9,756,941)
- Removable center T-Bar divider for taller items
- Patented door mount brackets provide 5" of adjustability and include micro-trim adjuster (US Patent No. 8,388,076)
- TSCA Title VI compliant



Minimum Cabinet Opening

PRODUCT #	MCO FF	MCO FL
447-BCSC-5C	5-1/2" (140 mm)	6" (152 mm)
447-BCSC-8C	8-1/2" (216 mm)	9" (229 mm)

## Base Cabinet Pullout Tray Divider/Foil Wrap Holder w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	CAB	FINISH
447-BCSC-5C	Base Cabinet Pullout	6" (152 mm) W x 21-21/32" (550 mm) x 19-1/2" (495 mm) H	B9	Maple
447-BCSC-8C	Base Cabinet Pullout	8-3/4" (222 mm) W x 21-21/32" (550 mm) x 19-1/2" (495 mm) H	B12	Maple

# BASE CABINET PULLOUT



- Designed for full access 9" and face frame 9", 12", 15" base cabinets
- Natural maple construction with semi-gloss finish
- Full-extension slides with BLUMOTION soft-close
- Adjustable shelves with chrome rails
- Adjustable rub bushings
- Patented door mount brackets provide 5" of adjustability (US Patent No. 8,388,076)
- TSCA Title VI compliant



## Base Cabinet Pullout w/ Soft-Close for Full Height

PRODUCT	DESCRIPTION	DIMS	MCO	CABINET	FINISH
448-BCSC-5C	Base Organizer	6" (152 mm) W x 21-5/8" (549 mm) D x 25-1/2 - 29-1/2" (648- 749 mm)	6" (155 mm)	FHB9	Maple
448-BCSC-6C	Base Organizer	7-1/4" (184 mm) W x 21-5/8" (549 mm) D x 25-1/2 - 29-1/2" (648- 749 mm) H	7-1/2" (191 mm)	FLFB9	Maple
448-BCSC-8C	Base Organizer	8-3/4" (222 mm) W x 21-5/8" (549 mm) D x 25-1/2 - 29-1/2" (648- 749 mm)	9" (229 mm)	FHB12	Maple

## Base Cabinet Pullout w/ Soft-Close for Drawer/Door

PRODUCT	DESCRIPTION	DIMS	MCO	CABINET	FINISH
448-BDDSC-5C	Base Organizer	5-29/32" (150 mm) W x 21-19/32" (548 mm) D x 19-3/8 - 23-3/8" (493- 594 mm) H	6" (152 mm)	B9	Maple
448-BDDSC-8C	Base Organizer	8-3/4" (222 mm) W x 21-5/8" (549 mm) D x 19-7/16 - 23-3/8" (494- 594 mm) H	9" (229 mm)	B12	Maple
448-BDDSC-11C	Base Organizer	11-3/4" (298 mm) W x 21-5/8" (549 mm) D x 19-7/16 - 23-3/8" (494- 594 mm) H	12" (305 mm)	B15	Maple

# BASE ORGANIZER PULLOUT



- Designed for full height 6" and 9" base cabinets
- Fully assembled natural maple construction with chrome accents
- Full-extension, BLUM soft-close undermount slides
- Patented undermount soft-close slide system (US Patent No. 8,733,865)
- Trimmable to 26-3/8" height for custom cabinets
- Adjustable shelves
- Designed with top slide for complete stability
- TSCA Title VI compliant



## Base Organizer w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	CAB	MCO	FINISH
438-BCSC-3C	Base Organizer for 6"	3" (76 mm) W x 23" (584 mm) D x 27-5/16" (694 mm) H	3" (76 mm)	FHB6	Maple
438-BCSC-6C	Base Organizer for 9"	6" (152 mm) W x 23" (584 mm) D x 27-5/16" (694 mm) H	6" (152 mm)	FHB9	Maple

# BASE CABINET PULLOUT W/ KNIFE BLOCK & UTENSIL BINS



- Designed for 9" and 12" full height base cabinets
- Natural maple construction with semi-gloss finish
- Full-extension slides with BLUMOTION soft-close
- (1) 2 qt. removable stainless steel bin
- Knife block features flex rod technology that adjust to securely hold knives
- Adjustable shelf rear wall for added stability
- Adjustable rub bushings that prevent side-to-side movement
- Patented door mount brackets provide 5" of adjustability (US Patent No. 8,388,076)
- TSCA Title VI compliant



## Base Cabinet Pullout w/ Knife Block & Utensil Bins

PRODUCT	DESCRIPTION	DIMS	MCO	CABINET	FINISH
448KB-BCSC-5C	Base Organizer w/ (1) Bin	6" (152 mm) W x 21-5/8" (549 mm) D x 25-1/2" (648 mm) H	6" (152 mm)	FHB9	Maple
448KB-BCSC-8C	Base Organizer w/ (1) Bin	8-3/4" (222 mm) W x 21-5/8" (549 mm) D x 25-1/2 - 29-1/2" (648- 749 mm) H	9" (229 mm)	FHB12	Maple
448KB-BCSC-9C	Base Organizer w/ (1) Bin	10-1/4" (260 mm) W x 21-5/8" (549 mm) D x 25-1/2 - 29-1/2" (648- 749 mm) H	10-1/2" (267 mm)	FLFHB12	Maple

# BASE CABINET PULLOUT W/ OXO CONTAINERS



- Designed for 12" full height base cabinets
- Natural maple construction with semi-gloss finish
- Full-extension, 135 lb. rated, concealed slide w/ BLUMOTION soft-close
- Patented mounting straps (US Patent No. 9,756,941)
- (7) BPA free OXO Good Grips POP containers  
(3) 4.3 qt.  
(3) 1.7 qt.  
(1) 2.6 qt.
- Adjustable rub bushings
- Patented door mount brackets provide 5" of adjustability and include micro-trim adjuster (US Patent No. 8,388,076)
- TSCA Title VI compliant



### Minimum Cabinet Opening

PRODUCT #	MCO FF	MCO FL
448OXO-BCSC-8C	8-1/2" (216 mm)	9" (229 mm)

### Base Cabinet Pullout w/ OXO® Containers and BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	CAB	FINISH
448OXO-BCSC-8C	Base Organizer	8-3/4" (222 mm) W x 21-5/8" (549 mm) D x 25-1/2" - 29-1/2" (648- 749 mm) H	FHB12	Maple

# PAPER TOWEL PULLOUT



- Designed for 9" and 12" full height base cabinets
- Natural maple construction with semi-gloss finish
- Full-extension, TANDEM, 135 lb. rated concealed slides with BLUMOTION soft-close
- Patented mounting straps (US Patent No. 9,756,941)
- Adjustable rub bushings
- Patented door mount brackets with 5" of adjustability and micro-trim adjuster (US Patent No. 8,388,076)
- Refillable paper towel holder
- SERVO-DRIVE technology available (sold separately)
- TSCA Title VI Compliant



### Paper Towel Pullout

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
448PTH-BCSC-6C	Paper Towel Pullout	6-7/8" (175 mm) W x 21-3/4" (551 mm) D x 26-29/32" (684 mm) H	FF: 6-5/8" (168 mm) FL: 7-1/8" (181 mm)	FHB9 FLFHB12	Maple
448PTH-BCSC-8C	Paper Towel Pullout	8-3/4" (222 mm) W x 21-3/4" (551 mm) D x 26-29/32" (684 mm) H	FF: 8-1/2" (216 mm) FL: 9" (229 mm)	FHB12	Maple

# BASE CABINET PULLOUT W/ UTENSIL BINS



- Designed for 9" and 12" full height base cabinets
- Natural maple construction with semi-gloss finish
- Full-extension slides with BLUMOTION soft-close
- (3) 1.25 qt or (3) 2 qt. stainless steel bins
- Adjustable shelves and rear wall for added stability
- Adjustable rub bushings that prevent side to side movement
- Patented door mount brackets provide 5" of adjustability (US Patent No. 8,388,076)
- TSCA Title VI compliant



## Base Cabinet Pullout w/ (3) Utensil Bins and Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CABINET	FINISH
448UT-BCSC-5C	Base Organizer	6" (152 mm) W x 21-5/8" (549 mm) D x 25-1/2" - 29-1/2" (648- 749 mm) H	6" (155 mm)	FHB9	Maple
448UT-BCSC-8C	Base Organizer	8-3/4" (222 mm) W x 21-5/8" (549 mm) D x 25-1/2" - 29-1/2" (648- 749 mm) H	9" (229 mm)	FHB12	Maple

# CONTEMPORARY BASE CABINET PULLOUT W/ KNIFE BLOCK & UTENSIL BIN



- Designed for 12" and 15" full access and face frame base cabinets
- Solid bottom shelves with chrome-plated round wire, natural maple
- Full-extension, 135 lb. rated slide w/ BLUMOTION soft-close
- (1) 2 qt. or (2) 2 qt. and (2) 1.25 qt. removable stainless steel bins
- Patented door mount brackets (US Patent No. 8,047,621)
- Knife block features flex rod technology that adjusts to securely hold knives
- TSCA Title VI compliant

## Minimum Cabinet Opening

PRODUCT #	MCO FF	MCO FL
5322KB-BCSC-8-MP	8-1/2" (216 mm)	9" (229 mm)
5322KB-BCSC-9-MP	10" (254 mm)	10-1/2" (267 mm)
5322KB-BCSC-11-MP	11-1/2" (292 mm)	12" (305 mm)



## Full Access Contemporary Base Cabinet Pullout w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	CAB	FINISH
5322KB-BCSC-9-MP	Base Organizer w/ (1) Bin	10-1/4" (260 mm) W x 21-11/16" (551 mm) D x 24-1/4" (616 mm) H	FLFHB12	Maple

## Face Frame Contemporary Base Cabinet Pullout w/ BLUMOTION Soft-Close

5322KB-BCSC-8-MP	Base Organizer w/ (1) Bin	8-3/4" (222 mm) W x 21-11/16" (551 mm) D x 24-1/4" (616 mm) H	FFFHB12	Maple
5322KB-BCSC-11-MP	Base Organizer w/ (4) Bins	11-3/4" (299 mm) W x 21-11/16" (551 mm) D x 24-1/4" (616 mm) H	FFFHB15	Maple



# SIDE AND BOTTOM MOUNT BASE PULLOUT



- Designed for 9" and 12" full height base cabinets
  - Face Frame fit 1-3/4", 1-1/2" and 1-5/8"
  - Full Access fit 3/4" and 5/8"
- Natural maple construction with semi-gloss finish
- (2) adjustable shelves for base organizer and (1) adjustable shelf for utensil organizer with chrome accents
- Utensil organizer features (3) 1-1/4 qt. removable stainless-steel bins
- Full-extension, TANDEM, 110 lb. rated concealed slides with BLUMOTION soft-close
- Mounts to cabinet door, floor and side
- Face frame patented foldable slide set for easy installation (US Patent No. 10,799,020)
- Patented door mount brackets provide 5" of adjustability and include micro-trim adjuster (US Patent No. 8,388,076)
- TSCA Title VI compliant



## Full Access Side and Bottom Mount Base Pullout w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
449-BCSC-7C	Base Organizer	7-1/2" (191 mm) W x 21-3/4" (553 mm) D x 25-1/4" (641 mm) H	7-1/2" (191 mm)	FLFHB9	Maple
449-BCSC-10C	Base Organizer	10-1/2" (267 mm) W x 21-3/4" (553 mm) D x 25-1/4" (641 mm) H	10-1/2" (267 mm)	FLFHB12	Maple

## Full Access Side and Bottom Mount Utensil Base Pullout w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
449UT-BCSC-7C	Utensil Organizer	7-1/2" (191 mm) W x 21-3/4" (553 mm) D x 25-1/4" (641 mm) H	7-1/2" (191 mm)	FLFHB9	Maple
449UT-BCSC-10C	Utensil Organizer	10-1/2" (267 mm) W x 21-3/4" (553 mm) D x 25-1/4" (641 mm) H	10-1/2" (267 mm)	FLFHB12	Maple

# UNDER SINK PULLOUT



- Designed for 30" sink base cabinets
- Double stainless steel containers with handles, (1) 10 L and (1) 20 L
- Full-extension, ball-bearing, 75 lb. rated slides
- Mounts to cabinet floor
- Built-in polymer lid
- Door mountable frame available

\*Grey finish may differ due to product enhancement

## Stainless Steel Under Sink Mount Waste Container Pullouts

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
8-785-30-2SS	10 L and 20 L	10-1/4" (260 mm) W x 18-3/4" (476 mm) D x 15-3/16" (386 mm) H	11" (279 mm)	SB30	Stainless Steel

# CONTEMPORARY BASE CABINET PULLOUT



- Designed for 9", 12" and 15" face frame base cabinets and 9" full access base cabinets
- Solid bottom shelves with chrome-plated round wire, natural maple
- Full-extension, 135 lb. rated slide w/ BLUMOTION soft-close
- 5322-BCSC-5 mounts to cabinet side wall
- 5322-BCSC-6, 8 and 11 mount to cabinet floor
- Patented door mount brackets (US Patent No. 8,047,621)
- TSCA Title VI compliant

### Minimum Cabinet Opening

PRODUCT #	MCO FF	MCO FL
5322-BCSC-6-MP	7" (178 mm)	7-1/2" (191 mm)
5322-BCSC-5-MP	6" (152 mm)	6" (152 mm)
5322-BCSC-8-MP	8-1/2" (216 mm)	9" (229 mm)
5322-BCSC-11-MP	11-1/2" (292 mm)	12" (305 mm)



### Full Access Contemporary Base Cabinet Pullout w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	CAB	FINISH
5322-BCSC-6-MP	Base Organizer	7-1/4" (184 mm) W x 21-11/16" (551 mm) D x 24-1/4" (616 mm) H	FLFHB9	Maple

### Face Frame Contemporary Base Cabinet Pullout w/ BLUMOTION Soft-Close

5322-BCSC-5-MP	Base Organizer	6" (152 mm) W x 22-1/8" (562 mm) D x 24-1/2" (622 mm) H	FFFHB9	Maple
5322-BCSC-8-MP	Base Organizer	8-3/4" (222 mm) W x 21-11/16" (551 mm) D x 24-1/2" (622 mm) H	FFFHB12	Maple
5322-BCSC-11-MP	Base Organizer	11-3/4" (299 mm) W x 21-11/16" (551 mm) D x 24-1/2" (622 mm) H	FFFHB15	Maple

# CONTEMPORARY BASE CABINET PULLOUT W/ UTENSIL BINS



- Designed for 9" and 12" base cabinets
- Solid bottom shelves with chrome-plated round wire, natural maple
- Full-extension, 135 lb. rated slide w/ BLUMOTION soft-close
- (3) 2 qt. or (3) 1.25 qt. removable stainless steel bins
- Patented door mount brackets (US Patent No. 8,047,621)
- TSCA Title VI compliant

### Minimum Cabinet Opening

PRODUCT #	MCO FF	MCO FL
5322UT-BCSC-6-MP	7" (178 mm)	7-1/2" (191 mm)
5322UT-BCSC-8-MP	8-1/2" (216 mm)	9" (229 mm)

### Full Access Contemporary Base Cabinet Pullout w/ (3) Utensil Bins and BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	CAB	FINISH
5322UT-BCSC-6-MP	Base Organizer	7-1/4" (184 mm) W x 21-11/16" (551 mm) D x 24-1/4" (616 mm) H	FLFHB9	Maple

### Face Frame Contemporary Base Cabinet Pullout w/ (3) Utensil Bins and BLUMOTION Soft-Close

5322UT-BCSC-8-MP	Base Organizer	8-3/4" (222 mm) W x 21-11/16" (551 mm) D x 24-1/4" (616 mm) H	FFFHB12	Maple
------------------	----------------	---	---------	-------

# UNDER SINK PIVOT OUT



- Designed for 33" and 36" sink base cabinets
- Single black polymer container with built-in handle, 15 L
- Stainless steel finish
- Lid rises as container pivots out
- Mounts to cabinet door, floor and side walls

Under Sink Waste Container Pivot Outs					
PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
8-010314-15	Single 15 L	11-3/4" (299 mm) W x 11" (279 mm) D x 17" (432 mm) H	14-3/4" (375 mm) - FF 14-3/4" (375 mm) - FL	SB36	Stainless Steel

# SINK BASE DOOR STORAGE



- Designed for 30", 36" and 42" sink base cabinet doors
- Natural maple construction with semi-gloss finish
- Patented adjustable door mount brackets that provide up to 5" adjustability (US Patent No. 7,204,569)
- TSCA Title VI compliant

Sink Base Door Storage					
PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4SBSU-15	Door Storage	10-1/2" (267 mm) W x 5" (127 mm) D x 18-1/2" (470 mm) H	11-5/8" (295 mm) - FF 10-5/8" (270 mm) - FL	SB30	Maple
4SBSU-18	Door Storage	13-1/2" (343 mm) W x 5" (127 mm) D x 18-1/2" (470 mm) H	14-3/8" (365 mm) - FF 13-5/8" (346 mm) - FL	SB36	Maple
4SBSU-21	Door Storage	16-1/2" (419 mm) W x 5" (127 mm) D x 18-1/2" (470 mm) H	17-1/4" (438 mm) - FF 16-5/8" (422 mm) - FL	SB42	Maple



# POLYMER DRIP TRAY



- Designed for installation in new 36" sink base cabinet construction
- Can be cut down to fit a 33" cabinet
- Protects the bottom of your cabinet from spills
- Funnels excessive water out of the front of your cabinet
- Orion gray, almond or metallic silver



OG: Orion Gray, S: Metallic Silver, A: Almond

Drip Tray					
PRODUCT	DESCRIPTION	DIMS	MIN TRIM	CAB	FINISH
SBDT-3336-OG-1	Drip Tray	34-1/2" (876 mm) W x 23-1/4" (591 mm) D x 3/4" (19 mm) H	31-1/2" (800 mm) x 21-1/2" (546 mm)	SB33-36	Orion Gray
SBDT-3336-A-1	Drip Tray	34-1/2" (876 mm) W x 23-1/4" (591 mm) D x 3/4" (19 mm) H	31-1/2" (800 mm) x 21-1/2" (546 mm)	SB33-36	Almond
SBDT-3336-S-1	Drip Tray	34-1/2" (876 mm) W x 23-1/4" (591 mm) D x 3/4" (19 mm) H	31-1/2" (800 mm) x 21-1/2" (546 mm)	SB33-36	Metallic Silver

# TIP-OUT TRAY SETS W/ SOFT-CLOSE



- 25", 28" and 31" trays, stainless steel
- Soft-close hinges
- Only 3/4" clearance on either side needed for use
- 50-degree opening
- Stiffening ribs provide extra stability and eliminate side play
- Easy installation
- US Patent No. 7,635,171

Stainless Steel Tip-Out Trays w/ Soft-Close Hinges				
PRODUCT	DESCRIPTION			FINISH
6581-25SC-52	25" Stainless Steel Tray	25" (635 mm) W x 2-1/8" (54 mm) D x 3" (77 mm) H		Stainless Steel
6581-28SC-52	28" Stainless Steel Tray	28" (711 mm) W x 2-1/8" (54 mm) D x 3" (77 mm) H		Stainless Steel
6581-31SC-52	31" Stainless Steel Tray	31" (788 mm) W x 2-1/8" (54 mm) D x 3" (77 mm) H		Stainless Steel

# DOOR MOUNT CLEANING CADDY



- Designed for 36" sink base cabinets
- Removable single polyethylene container with handle - black, orion gray or white
- Mounts to cabinet door



## Wire Door Mount Cleaning Caddy

PRODUCT	DESCRIPTION		MCO	CAB	FINISH
5CCSO12-11-1	Cleaning Caddy	9-3/4" (248 mm) - 13" (330 mm) W x 9-3/4" (248 mm) D x 8-1/4" (210 mm) H	15" (305 mm)	SB36	White
5CCSO12-13-1	Cleaning Caddy	9-3/4" (248 mm) - 13" (330 mm) W x 9-3/4" (248 mm) D x 8-1/4" (210 mm) H	15" (305 mm)	SB36	Orion Gray
5CCSO12-18-1	Cleaning Caddy	9-3/4" (248 mm) - 13" (330 mm) W x 9-3/4" (248 mm) D x 8-1/4" (210 mm) H	15" (305 mm)	SB36	Black

# UNDER SINK CLEANING CADDY



- Designed for 30" sink base cabinets
- Chrome-plated wire frame
- (2) polymer bottom shelves
- 3/4" extension, Euro, 75 lb. rated slides
- Mounts to cabinet floor
- Universal mounting, non-handed hardware
- Bottom bumpers to protect countertop surfaces
- Removable caddy for convenience

## Under Sink Cleaning Caddy

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
544-10C-1	Under Sink Cleaning Caddy	11-1/4" (286 mm) W x 16-1/4" (413 mm) D x 19-1/2" (498 mm) H	11-1/4" (286 mm) - FF 11-3/8" (289 mm) - FL	SB30	Chrome

# U-SHAPED SOLID BOTTOM SHELVES



- Designed for 36" sink base cabinets
- U-shaped solid bottom shelves, natural maple or gray
- Full-extension, TANDEM, 135 lb. rated slides with BLUMOTION soft-close
- Mounts to cabinet floor or side walls
- Pre-assembled door mount brackets
- Side and bottom mount brackets
- Fits around plumbing
- TSCA Title VI compliant



## U-Shaped Solid Bottom Shelf w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
5386-33BCSC-MP	Solid Bottom Shelf	32-11/16" (830 mm) - 35" (889 mm) W x 21-17/32" (547 mm) D x 5-1/16" (129 mm) H	32-11/16" (830 mm)	SB36	Chrome
5386-33BCSC-GR	Solid Bottom Shelf	32-11/16" (830 mm) - 35" (889 mm) W x 21-17/32" (547 mm) D x 5-1/16" (129 mm) H	32-11/16" (830 mm)	SB36	Chrome

# COMBINATION KNIFE HOLDER/ CUTTING BOARD DRAWER



- Designed for 18", 21" and 24" face frame and 18" full access base cabinet drawers
  - Face Frame fits 1-1/2"
  - Full Access fits 3/4"
- Complete drawer system, just add your drawer front
- Natural maple construction with semi-gloss finish
- Full-extension, BLUM soft-close undermount slides
- Up to (4) compartments and built-in knife organizer
- Mounts to cabinet drawer front, rear and side walls
- Figure 8 door mount brackets
- Built-in locking mechanism
- (1) wood cutting board
- Drawer front (NOT) included
- TSCA Title VI compliant

## Full Access Combination Knife Holder/ Cutting Board Drawer w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4KCB-419HFLSC-1	Combination Drawer	16-1/2" (419 mm) W x 21-5/8" (550 mm) D x 4-3/8" (112 mm) H	16-1/2" (419 mm)	FLB18	Maple

## Combination Knife Holder/ Cutting Board Drawer w/ BLUMOTION Soft-Close

4KCB-18HSC-1	Combination Drawer	15" (381 mm) W x 21-3/4" (552 mm) D x 4-3/8" (112 mm) H	15" (381 mm)	FFB18	Maple
4KCB-21HSC-1	Combination Drawer	18" (457 mm) W x 21-3/4" (552 mm) D x 4-3/8" (112 mm) H	18" (457 mm)	FFB21	Maple
4KCB-24HSC-1	Combination Drawer	21" (533 mm) W x 21-3/4" (552 mm) D x 4-3/8" (112 mm) H	21" (533 mm)	FFB24	Maple

# FOOD STORAGE CONTAINER ORGANIZER



- Designed for 18" and 24" base cabinets
- Natural maple dovetail construction with semi-gloss finish
- Adjustable clip-on lid dividers (5 w/18") (8 w/24")
- (7) customizable chrome "U" pegs
- Full-extension with 3/4" over-travel, 110 lb. rated MOVENTO slide w/ BLUMOTION soft-close
- Mount to cabinet floor
- TSCA Title VI compliant



## Food Storage Container Organizer w/ Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CABINET	FINISH
4FSCO-18SC-1	Food Storage Container Organizer	14-1/2" (368 mm) W x 22-1/4" (565 mm) D x 18-7/8" (479 mm) H	15" (381 mm)	B18	Maple
4FSCO-24SC-1	Food Storage Container Organizer	20-1/2" (521 mm) W x 22-1/4" (565 mm) D x 18-7/8" (479 mm) H	21" (533 mm)	B24	Maple

# TWO-TIER COOKWARE ORGANIZER



- Designed for 18" and 24" base cabinets
- Natural maple dovetail construction with semi-gloss finish
- Full-extension with 3/4" over-travel, undermount, 110 lb. rated slides with BLUM MOVENTO soft-close
- Up to 220 pre-drilled peg holes
- (4) matching, press-in pegs
- Top shelf holds lids w/ included (1 w/18") or (2 w/24") lid organizers
- Cookware insert and handle rest included
- Mounts to cabinet floor
- TSCA Title VI compliant



## Wood Two-Tier Base Organizer Pullout

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4CW2-18SC-1	Cookware Organizer	14-1/2" (368 mm) W x 22-1/4" (565 mm) D x 18-7/32" (463 mm) H	14-1/2" (368 mm)	B18	Maple
4CW2-24SC-1	Cookware Organizer	20-1/2" (521 mm) W x 22-1/4" (565 mm) D x 18-7/32" (463 mm) H	20-1/2" (521 mm)	B24	Maple

# GLIDEWARE™ PULLOUT



- Designed for 14" to 22" cabinet depths
- Solid wood construction, natural maple or gray
- Mounts to cabinet top and rear
- Full-extension, 66 lb. rated, concealed slides with BLUMOTION soft-close
- (7) hooks
- US Patent No. 9,433,283 and 9,022,237
- TSCA Title VI compliant



## Glideware™ Pullout w/ BLUMOTION Soft-Close and (5 or 7) Long Hooks

PRODUCT	DESCRIPTION	DIMS	CAB	FINISH
GLD-W22-BC-7	22" Glideware™	6" (153 mm) W x 22" (559 mm) D x 5-1/16" (129 mm) H	FHB18	Maple
GLD-W22-BG-7	22" Glideware™	6" (153 mm) W x 22" (559 mm) D x 5-1/16" (129 mm) H	FHB18	Gray

# CHARGING DRAWER



- Designed for 18" base cabinet drawers
- Just add your drawer front
- Natural maple construction with semi-gloss finish
- Full-extension, BLUM soft-close undermount slides
- (2) 120V plugs and (2) 2.1 amp USB ports
- Tamper resistant outlets
- Max Current: AC: 12 amps @ 120VAC; USB 2.1 amp & 5VDC
- UL recognized to UL962/CSA-C22.2 No. 0-10
- Power cord with NEMA 5 – 15 plug
- Integrated cord guide to ensure safe operation
- Figure 8 door mounting brackets
- Shock absorbent mat, black
- Overall safety of this product is determined by its end use
- TSCA Title VI compliant



## Full Access Charging Drawer w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WCDB-18HFLSC-1	Charging Drawer	16-1/2" (419 mm) W x 22-7/16" (570 mm) D x 4-5/16" (110 mm) H	16-1/2" (419 mm)	FLB18	Maple

## Face Frame Charging Drawer w/ BLUMOTION Soft-Close

4WCDB-18HSC-1	Charging Drawer	15" (381 mm) W x 22-3/4" (578 - 603 mm) D x 4-5/16" (110 mm) H	15" (381 mm)	FFB18	Maple
---------------	-----------------	--	--------------	-------	-------

# DOUBLE KNIFE BLOCK INSERT



- Designed for 18-1/2" or smaller base cabinet drawers
- Trim-to-fit existing drawer
- Drop-in installation
- Natural maple construction with semi-gloss finish
- (1) compartment and (2) tiers that include up to (55) knife slots
- Compatible with 4WD Wood Divider when using multiple inserts
- TSCA Title VI compliant

## Wood Double Knife Block Insert

PRODUCT	DESCRIPTION	DIMS	FINISH
4WDKB-1	Double Knife Block Insert	18-1/2" (470 mm) W x 22" (559 mm) D x 2" (51 mm) H	Maple

# WOOD K-CUP DRAWER INSERT



- Designed for 18" and 24" base cabinet drawers
- Trim-to-fit existing drawer
- Drop-in installation
- Natural maple construction with semi-gloss finish
- Up to (4) compartments and (5) tiers that hold up to (30) K-Cups
- Compatible with 4WD Wood Divider when using multiple inserts
- TSCA Title VI compliant

## Wood K-Cup Drawer Insert

PRODUCT	DESCRIPTION	DIMS	FINISH
4CDI-18-KCUP-1	K-Cup Tray Insert	16" (406 mm) W x 19-3/4" (502 mm) D x 2-3/8" (61 mm) H	Maple
4CDI-24-KCUP-1	K-Cup Tray Insert	22" (559 mm) W x 19-3/4" (502 mm) D x 2-3/8" (61 mm) H	Maple

# WOOD SPICE DRAWER INSERT



- Designed for 36" or smaller base cabinet drawers
- Trim-to-fit existing drawer
- Drop-in installation
- Natural maple construction with semi-gloss finish or walnut construction with satin finish
- (1) rear compartment and up to (3) tiers
- Compatible with 4WD Wood Divider when using multiple inserts
- TSCA Title VI compliant

## Wood Spice Drawer Insert

PRODUCT	DESCRIPTION	DIMS	FINISH
4SDI-18	Spice Drawer Insert	16" (406 mm) W x 19-3/4" (502 mm) D x 1-9/16" (39 mm) H	Maple
4SDI-24	Spice Drawer Insert	22" (559 mm) W x 19-3/4" (502 mm) D x 1-9/16" (39 mm) H	Maple
4SDI-36-1	Spice Drawer Insert	33-1/8" (841 mm) W x 19-3/4" (502 mm) D x 1-3/4" (44 mm) H	Maple

# DRAWER PEG SYSTEM



- Designed for 42" or smaller base cabinet drawers
- Trim-to-fit existing drawer
- Drop-in installation
- Natural maple construction with semi-gloss finish
- Up to (120) pre-drilled peg holes
- (9), (12) or (16) matching, press-in pegs
- Compatible with chrome accessories (sold separately)
- TSCA Title VI compliant

## Drawer Peg System

PRODUCT	DESCRIPTION	DIMS	FINISH
4DPS-2421	Peg System w/ (9) Pegs	24-1/4" (616 mm) W x 21-1/4" (540 mm) D x 6-5/8" (168 mm) H	Maple
4DPS-3021	Peg System w/ (12) Pegs	30-1/4" (769 mm) W x 21-1/4" (540 mm) D x 6-5/8" (168 mm) H	Maple
4DPS-3921	Peg System w/ (16) Pegs	39-1/4" (997 mm) W x 21-1/4" (540 mm) D x 6-5/8" (168 mm) H	Maple

# POLYMER CUTLERY TRAY



- Designed for 24" or smaller base cabinet drawers
- Trim-to-fit existing drawer
- Drop-in installation
- Polystyrene construction with textured finish in white or almond
- Up to (7) compartments
- Great for our outdoor applications

\* - Insert (W) for White, (A) for Almond

## Polymer Cutlery Tray

PRODUCT	DESCRIPTION	DIMS	MIN TRIM	FINISH
CT-1*-52	Cutlery Tray	11-1/2" (293 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	8-5/8" (219 mm) W x 17-3/4" (451 mm) D	Polymer
CT-2*-52	Cutlery Tray	14-1/4" (362 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	11-5/8" (296 mm) W x 17-3/4" (451 mm) D	Polymer
CT-3*-52	Cutlery Tray	17-1/2" (445 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	14-3/4" (375 mm) W x 17-3/4" (451 mm) D	Polymer
CT-4*-52	Cutlery Tray	21-7/8" (556 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	18-3/4" (467 mm) W x 17-3/4" (451 mm) D	Polymer

# POLYMER UTENSIL TRAY



UT-15W-52

- Designed for 24" or smaller base cabinet drawers
- Trim-to-fit existing drawer
- Drop-in installation
- Polystyrene construction with textured finish in white
- Up to (4) compartments
- Great for our outdoor applications

\* - Insert (W) for White, (A) for Almond

Polymer Utensil Tray				
PRODUCT	DESCRIPTION	DIMS	MIN TRIM	FINISH
UT-10*-52	Utensil Tray	11-1/2" (293 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	8-5/8" (219 mm) W x 17-3/4" (451 mm) D	Polymer
UT-12*-52	Utensil Tray	14-1/4" (362 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	11-5/8" (296 mm) W x 17-3/4" (451 mm) D	Polymer
UT-15*-52	Utensil Tray	17-1/2" (445 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	14-3/4" (375 mm) W x 17-3/4" (451 mm) D	Polymer
UT-18*-52	Utensil Tray	21-7/8" (556 mm) W x 21-1/4" (540 mm) D x 2-3/8" (61 mm) H	18-3/8" (467 mm) W x 17-3/4" (451 mm) D	Polymer

# HEAVY DUTY MIXER LIFT



- Designed for 18" full height, face frame base cabinets - 1-1/2" thick maple shelf
- Mounts to cabinet side
- Adjustable spring tension
- Built-in shock dampeners
- Holds appliances up to 60 lbs.
- TSCA Title VI compliant

Heavy Duty Mixer Lift Kit w/ Soft-Close					
PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
ML-MPHDSCCR-18	Mixer Lift Kit	15" (298 mm) W	15" (381 mm)	FFFHB18	Metallic Silver/Maple



# WOOD CLASSIC LAZY SUSAN



4WLS073-18-536

- 1-5/8" Solid wood frame
- Finger joint
- 5/8" thick natural maple shelf bottom
- Chrome hardware
- Aluminum bearings
- TSCA Title VI compliant

## Wood Classic Lazy Susan w/ Aluminum Bearing

PRODUCT	DESCRIPTION	DIMS	FINISH
4WLS001-18-B52	Single Shelf w/ 7" Aluminum Bearing	18" (457 mm) Diameter	Wood
4WLS001-28-B52	Single Shelf w/ 10" Aluminum Bearing	28" (711 mm) Diameter	Wood
4WLS001-32-B52	Single Shelf w/ 10" Aluminum Bearing	32" (813 mm) Diameter	Wood
<b>(2) Shelf Wood Classic Lazy Susan w/ 26"-32" (660-813 mm) Telescoping Post</b>			
4WLS472-28-52	(2) Shelf Set - Kidney Shape	28" (711 mm) Diameter	Wood
4WLS472-32-52	(2) Shelf Set - Kidney Shape	32" (813 mm) Diameter	Wood
4WLS072-18-52	(2) Shelf Set - Full Circle	18" (457 mm) Diameter	Wood
4WLS272-20-52	(2) Shelf Set - D-Shape	20" (508 mm) Diameter	Wood
<b>(3) Shelf Wood Classic Lazy Susan w/ 38"-46" (965-1169 mm) Telescoping Post</b>			
4WLS073-18-536	(3) Shelf Set - Full Circle	18" (457 mm) Diameter	Wood
4WLS273-20-536	(3) Shelf Set - D-Shape	20" (508 mm) Diameter	Wood

# BANDED WOOD LAZY SUSAN



LD-4BW-472-28-1

- 2" Banded wood rim
- Doweled (2) butt joint
- 5/8" Thick maple shelf bottom
- Independently rotating
- Almond hardware
- Steel bearings
- TSCA Title VI compliant

## Banded Wood Lazy Daisy w/ Steel Bearing and Stop

PRODUCT	DESCRIPTION	DIMS	FINISH
LD-4BW-401-28SBS-1	Single Shelf w/ 7" Steel Bearing	28" (711 mm) Diameter	Maple
<b>(2) Shelf Banded Wood Lazy Daisy w/ 26"-31" (660-788 mm) Telescoping Post</b>			
LD-4BW-472-28-1	(2) Shelf Set	28" (711 mm) Diameter	Maple

# WALL CABINET PULLOUT



- Designed for 9" and 12" wall cabinets
- Natural maple construction with semi-gloss finish
- Up to (5) shelves with chrome wire accents
- Full-extension, ball-bearing, 100 lb. rated slides
- Mounts to cabinet floor and door
- Patented door mount brackets with 5" of adjustability and micro-trim adjuster (US Patent No. 8,388,076)
- Adjustable rub bushings
- TSCA Title VI compliant

## Face Frame Wall Cabinet Pullout

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
448-WC-5C	Wall Pullout for 9"	5" (127 mm) W x 10-3/4" (237 mm) D x 26-1/4" (667 mm) H	5-1/2" (140 mm)	W9	Maple
448-WC-8C	Wall Pullout for 12"	8" (204 mm) W x 10-3/4" (237 mm) D x 26-1/4" (667 mm) H	8-1/2" (216 mm)	W12	Maple

# MAPLE BOTTOM MOUNT



- Designed for 15", 18" and 21" base cabinets
- Single 32 and 35 qt. and double 35 and 50 qt. polymer containers, gray (32 qt. only) or metallic silver
- Natural maple dovetail frame with semi-gloss finish
- Full-extension with 3/4" over-travel, MOVENTO, 110 lb. rated, concealed slides with BLUMOTION soft-close
- Rear storage with all single 35 qt. units
- Mounts to cabinet door and floor
- Patented door mount brackets with 5" of adjustability and micro-trim adjuster (US Patent No. 8,388,076)
- 35 and 50 qt. polymer lids available (sold separately)
- TSCA Title VI compliant



## Maple Bottom Mount MOVENTO Waste Container Pullouts w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WCSC-1532DM16-1	Single 32 qt. w/ TANDEM Slide	12" (305 mm) W x 15" (381 mm) D x 19-1/2" (495 mm) H	FF- 11-1/2" (292oumm) FL-12" (305 mm)	B15	Gray/Maple
4WCSC-1535DM-1	Single 35 qt.	12" (305 mm) W x 21-21/32" (550 mm) D x 19-1/2" (495 mm) H	12" (305 mm)	B15	Silver/Maple
4WCSC-1835DM-2	Double 35 qt.	15" (381 mm) W x 21-3/4" (553 mm) D x 20-3/8" (518 mm) H	15" (381 mm)	B18	Silver/Maple
4WCSC-2135DM-2	Double 35 qt.	18" (457 mm) W x 21-3/4" (553 mm) D x 20-3/8" (518 mm) H	18" (457 mm)	B21	Silver/Maple
4WCSC-2150DM-2	Double 50 qt.	18" (457 mm) W x 21-3/4" (553 mm) D x 24-1/4" (616 mm) H	18" (457 mm)	FHB21	Silver/Wood

# MAPLE BOTTOM MOUNT



- Designed for 15", 18", 21" and 24" base cabinets
- Single 35 qt. and double 30, 35 and 50 qt. polymer containers, metallic silver
- Natural maple dovetail frame with semi-gloss finish (7-1/2" frame height)
- Full-extension with 1-1/2" over-travel, ball-bearing, 150 lb. rated, concealed slides with Rev-A-Motion® soft-open/soft-close assist (US Patent No. 8,091,971)
- Rear storage with all single and double 30 qt. units
- Mounts to cabinet door and floor
- Pre-assembled door mount brackets
- 35 and 50 qt. polymer lids available (sold separately)
- TSCA Title VI compliant

## Maple Bottom Mount Waste Container Pullouts w/ Rev-A-Motion®

PRODUCT	DESCRIPTION	DIMS	MCOFL	MCOFF	CAB	FINISH
4WCBM-15DM-1	Single 35 qt.	12" (305 mm) W x 21-3/4" (553 mm) D x 19-1/4" (489 mm) H	12-3/4" (324 mm)	11-1/2" (293 mm)	B15	Silver/Maple
4WCBM-2430DM-2	Double 30 qt.	20-1/4" (514 mm) W x 21-3/4" (553 mm) D x 19-1/4" (489 mm) H	20-1/2" (520 mm)	20-1/2" (520 mm)	B24	Silver/Maple
4WCBM-18DM-2	Double 35 qt.	14-1/4" (362 mm) W x 21-3/4" (553 mm) D x 19-1/4" (489 mm) H	14-1/2" (368 mm)	14-1/2" (368 mm)	B18	Silver/Maple
4WCBM-2150DM-2	Double 50 qt.	17-1/4" (438 mm) W x 21-3/4" (553 mm) D x 23-3/16" (589 mm) H	17-1/2" (445 mm)	17-1/2" (445 mm)	FHB21	Silver/Maple

# STEEL BOTTOM MOUNT WASTE CONTAINER PULLOUTS W/ SOFT-CLOSE SLIDES



- Designed for 15" and 18" base cabinets
- Single 35 and double 27, 35 and 50 qt. polymer containers in orion gray and champagne
- Full-extension, progressive roller, 90 lb. rated, concealed slides with soft-close
- Powder-coated wire frame, available in orion gray and champagne
- Mounts to cabinet floor
- Patented door mounting brackets (US Patent No. 6,390,576)
- Rear storage bin with all single units

## Steel Bottom Mount Waste Container Pullouts w/ Soft-Close Slides

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
53WC-1535SCDM-113	Single 35 qt.	10-7/8" (276 mm) W x 22-1/4" (565 mm) D x 19" (483 mm) H	11-1/2" (292 mm)	B15	Orion Gray
53WC-1535SCDM-112	Single 35 qt.	10-7/8" (276 mm) W x 22-1/4" (565 mm) D x 19" (483 mm) H	11-1/2" (292 mm)	B15	Champagne
53WC-1550SCDM-113	Single 50 qt.	10-7/8" (276 mm) W x 22-1/4" (565 mm) D x 22-7/8" (581 mm) H	11-1/2" (292 mm)	FHB15	Orion Gray
53WC-1550SCDM-112	Single 50 qt.	10-7/8" (276 mm) W x 22-1/4" (565 mm) D x 22-7/8" (581 mm) H	11-1/2" (292 mm)	FHB15	Champagne
53WC-1527SCDM-213	Double 27 qt.	11-1/4" (286 mm) W x 22-3/32" (561 mm) D x 18-15/16" (481 mm) H	11-1/2" (292 mm)	B15	Orion Gray
53WC-1527SCDM-212	Double 27 qt.	11-1/4" (286 mm) W x 22-3/32" (561 mm) D x 18-15/16" (481 mm) H	11-1/2" (292 mm)	B15	Champagne
53WC-1835SCDM-213	Double 35 qt.	14-3/8" (365 mm) W x 22-1/4" (565 mm) D x 19" (483 mm) H	15" (381 mm)	B18	Orion Gray
53WC-1835SCDM-212	Double 35 qt.	14-3/8" (365 mm) W x 22-1/4" (565 mm) D x 19" (483 mm) H	15" (381 mm)	B18	Champagne
53WC-2150SCDM-213	Double 50 qt.	14-3/4" (375 mm) W x 22-1/4" (565 mm) D x 22-7/8" (581 mm) H	15" (381 mm)	FHB18	Orion Gray
53WC-2150SCDM-212	Double 50 qt.	14-3/4" (375 mm) W x 22-1/4" (565 mm) D x 22-7/8" (581 mm) H	15" (381 mm)	FHB18	Champagne

# SOLID BOTTOM PANTRY PULLOUT



- Available in (5) widths and (4) height ranges for full access 24" deep cabinetry
- Natural maple or gray solid bottom shelves
- Full-extension slides with soft-close, 250 lb. rated
- Micro-adjustment door mounting brackets
- Kit packaged with frame, baskets and hardware
- TSCA Title VI compliant

**NOTE:** \*\* Insert "MP" for Maple Shelf or "GR" for Gray Shelf

## Solid Bottom Pantry Pullout w/ Soft-Close — (4) Shelves/ (2) Door Mount Brackets

PRODUCT	DESCRIPTION	DIMS	MCO	CAB
5343-08.**	Pantry Pullout	8-1/4" (210 mm) W x 21-11/16" (550 mm) D x 43-13/32" – 50-3/4" (1102 mm - 1289 mm) H	8-1/2" (216 mm)	T12
5343-10.**	Pantry Pullout	10-1/4" (260 mm) W x 21-11/16" (550 mm) D x 43-13/32" – 50-3/4" (1102 mm - 1289 mm) H	10-1/2" (267 mm)	FLT12
5343-13.**	Pantry Pullout	13-1/4" (337 mm) W x 21-11/16" (550 mm) D x 43-13/32" – 50-3/4" (1102 mm - 1289 mm) H	13-1/2" (343 mm)	FLT15
5343-16.**	Pantry Pullout	16-1/4" (413 mm) W x 21-11/16" (550 mm) D x 43-13/32" – 50-3/4" (1102 mm - 1289 mm) H	16-1/2" (419 mm)	FLT18
5343-19.**	Pantry Pullout	19-1/4" (489 mm) W x 21-11/16" (550 mm) D x 43-13/32" – 50-3/4" (1102 mm - 1289 mm) H	19-1/2" (495 mm)	FLT21
5350-08.**	Pantry Pullout	8-1/4" (210 mm) W x 21-11/16" (550 mm) D x 50-3/4" – 58-9/32" (1289 mm - 1480 mm) H	8-1/2" (216 mm)	T12
5350-10.**	Pantry Pullout	10-1/4" (260 mm) W x 21-11/16" (550 mm) D x 50-3/4" – 58-9/32" (1289 mm - 1480 mm) H	10-1/2" (267 mm)	FLT12
5350-13.**	Pantry Pullout	13-1/4" (337 mm) W x 21-11/16" (550 mm) D x 50-3/4" – 58-9/32" (1289 mm - 1480 mm) H	13-1/2" (343 mm)	FLT15
5350-16.**	Pantry Pullout	16-1/4" (413 mm) W x 21-11/16" (550 mm) D x 50-3/4" – 58-9/32" (1289 mm - 1480 mm) H	16-1/2" (419 mm)	FLT18
5350-19.**	Pantry Pullout	19-1/4" (489 mm) W x 21-11/16" (550 mm) D x 50-3/4" – 58-9/32" (1289 mm - 1480 mm) H	19-1/2" (495 mm)	FLT21

## Solid Bottom Pantry Pullout w/ Soft-Close — (5) Shelves/ (3) Door Mount Brackets

5358-08.**	Pantry Pullout	8-1/4" (210 mm) W x 21-11/16" (550 mm) D x 58-1/4" – 65-3/4" (1479 mm - 1670 mm) H	8-1/2" (216 mm)	T12
5358-10.**	Pantry Pullout	10-1/4" (260 mm) W x 21-11/16" (550 mm) D x 58-1/4" – 65-3/4" (1479 mm - 1670 mm) H	10-1/2" (267 mm)	FLT12
5358-13.**	Pantry Pullout	13-1/4" (337 mm) W x 21-11/16" (550 mm) D x 58-1/4" – 65-3/4" (1479 mm - 1670 mm) H	13-1/2" (343 mm)	FLT15
5358-16.**	Pantry Pullout	16-1/4" (413 mm) W x 21-11/16" (550 mm) D x 58-1/4" – 65-3/4" (1479 mm - 1670 mm) H	16-1/2" (419 mm)	FLT18
5358-19.**	Pantry Pullout	19-1/4" (489 mm) W x 21-11/16" (550 mm) D x 58-1/4" – 65-3/4" (1479 mm - 1670 mm) H	19-1/2" (495 mm)	FLT21

## Solid Bottom Pantry Pullout w/ Soft-Close — (6) Shelves/ (4) Door Mount Brackets

5373-08.**	Pantry Pullout	8-1/4" (210 mm) W x 21-11/16" (550 mm) D x 73-5/8" – 80-3/4" (1870 mm - 2051 mm) H	8-1/2" (216 mm)	T12
5373-10.**	Pantry Pullout	10-1/4" (260 mm) W x 21-11/16" (550 mm) D x 73-5/8" – 80-3/4" (1870 mm - 2051 mm) H	10-1/2" (267 mm)	FLT12
5373-13.**	Pantry Pullout	13-1/4" (337 mm) W x 21-11/16" (550 mm) D x 73-5/8" – 80-3/4" (1870 mm - 2051 mm) H	13-1/2" (343 mm)	FLT15
5373-16.**	Pantry Pullout	16-1/4" (413 mm) W x 21-11/16" (550 mm) D x 73-5/8" – 80-3/4" (1870 mm - 2051 mm) H	16-1/2" (419 mm)	FLT18
5373-19.**	Pantry Pullout	19-1/4" (489 mm) W x 21-11/16" (550 mm) D x 73-5/8" – 80-3/4" (1870 mm - 2051 mm) H	19-1/2" (495 mm)	FLT21

# WOOD PANTRY PULLOUT



## Pantry Features:

- Shipped ready to assemble
- Patented door mount brackets with 5" of adjustability and micro-trim adjuster (US Patent No. 8,388,076)
- Natural maple construction with semi-gloss finish
- Rub bushings included for 1-1/2", 1-5/8", 1-3/4" face frames
- TSCA Title VI compliant

## Slide Features:

- 450 lb. rated static  
250 lb. recommended use with pantry
- Gas assisted soft-close
- Pull force is equal to opening a high-end refrigerator

5" Wood Pantry Pullout w/ Soft-Close						
PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH	
448-TP43-5-1	Wood Pantry Pullout	5" (127 mm) W x 22" (559 mm) D x 43-1/4" – 51-13/16" (1099- 1316 mm) H	5-1/2" (140 mm)	T9	Maple	
448-TP51-5-1	Wood Pantry Pullout	5" (127 mm) W x 22" (559 mm) D x 50-3/4" – 59-5/16" (1289- 1507 mm) H	5-1/2" (140 mm)	T9	Maple	
448-TP58-5-1	Wood Pantry Pullout	5" (127 mm) W x 22" (559 mm) D x 58-1/4" – 66-13/16" (1480- 1697 mm) H	5-1/2" (140 mm)	T9	Maple	
8" Wood Pantry Pullout w/ Soft-Close						
448-TP43-8-1	Wood Pantry Pullout	8" (204 mm) W x 22" (559 mm) D x 43-1/4" – 51-13/16" (1099- 1316 mm) H	8-1/2" (216 mm)	T12	Maple	
448-TP51-8-1	Wood Pantry Pullout	8" (204 mm) W x 22" (559 mm) D x 50-3/4" – 59-5/16" (1289- 1507 mm) H	8-1/2" (216 mm)	T12	Maple	
448-TP58-8-1	Wood Pantry Pullout	8" (204 mm) W x 22" (559 mm) D x 58-1/4" – 66-13/16" (1480- 1697 mm) H	8-1/2" (216 mm)	T12	Maple	
11" Wood Pantry Pullout w/ Soft-Close						
448-TP43-11-1	Wood Pantry Pullout	11" (280 mm) W x 22" (559 mm) D x 43-1/4" – 51-13/16" (1099- 1316 mm) H	11-1/2" (292 mm)	T15	Maple	
448-TP51-11-1	Wood Pantry Pullout	11" (280 mm) W x 22" (559 mm) D x 50-3/4" – 59-5/16" (1289- 1507 mm) H	11-1/2" (292 mm)	T15	Maple	
448-TP58-11-1	Wood Pantry Pullout	11" (280 mm) W x 22" (559 mm) D x 58-1/4" – 66-13/16" (1480- 1697 mm) H	11-1/2" (292 mm)	T15	Maple	
14" Wood Pantry Pullout w/ Soft-Close						
448-TP43-14-1	Wood Pantry Pullout	14" (356 mm) W x 22" (559 mm) D x 43-1/4" – 51-13/16" (1099- 1316 mm) H	14-1/2" (368 mm)	T18	Maple	
448-TP51-14-1	Wood Pantry Pullout	14" (356 mm) W x 22" (559 mm) D x 50-3/4" – 59-5/16" (1289- 1507 mm) H	14-1/2" (368 mm)	T18	Maple	
448-TP58-14-1	Wood Pantry Pullout	14" (356 mm) W x 22" (559 mm) D x 58-1/4" – 66-13/16" (1480- 1697 mm) H	14-1/2" (368 mm)	T18	Maple	

# WOOD SWING OUT PANTRY



- Designed for 36" pantry cabinets
- Adjustable interior door and pantry shelves
- Adjustable mounting brackets with 5" of adjustability (US Patent No: 7,204,569)
- Removable chrome accents
- Maple construction with semi-gloss finish
- Swings out on an industrial piano hinge
- Complete kit (2) swing out units and (2) door storage units
- Center divider not included
- TSCA Title VI compliant

\* Top rail not included

Wood Swing Out Pantry					
PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WP18-51-KIT	51" Swing Out Pantry Kit - Includes (2) 4WSP18-51 and (2) 4WDP18-51		33" (838 mm)	T36	Maple

# SOLID BOTTOM BLIND CORNER OPTIMIZER



- Designed for 15" and 18" blind corner cabinet openings
- Two-tier metal frame
- (4) solid bottom shelves, natural maple
- Chrome-plated round wire
- Full-extension, ball-bearing, 100 lb. rated slides with soft-close
- Universal mounting, non-handed
- Mounts to cabinet floor
- 27 lb. (per front shelf) and 34 lb. (per back shelf) capacity
- TSCA Title VI compliant

Two-Tier Solid Bottom Blind Corner Optimizer - Non-Handed w/ Soft-Close					
PRODUCT	DESCRIPTION	DIMS	MCO	CAB	
53PSP-15SC-MP	Two-Tier Blind Corner Optimizer	26-1/4" (667 mm) W x 20-1/4" (514 mm) D x 21" (533 mm) H	15" (381 mm)	BC42	
53PSP-18SC-MP	Two-Tier Blind Corner Optimizer	32-1/4" (819 mm) W x 20-1/4" (514 mm) D x 21" (533 mm) H	18" (457 mm)	BC45	

# THE 'CLOUD' CONTEMPORARY BLIND CORNER



- Designed for 15", 18" and 21" blind corner cabinet openings
- Single and double solid bottom shelves, natural maple or gray
- Chrome round wire accents
- Left or right handed mounting
- Mounts to cabinet floor (single) and side walls (double)
- Mounted telescopic post system (double)
- 45 lb. capacity per shelf
- Soft-close available (sold separately)
- TSCA Title VI compliant

**NOTE:** \*\* Insert "MP" for Maple Shelf or "GR" for Gray Shelf

## Double Blind Corner for Right Door/Blind Left Cabinets

PRODUCT	DESCRIPTION	DIMS	MCO	CAB
5372-15-**-R	Double for 15" Cabinet Opening	33" (838 mm) W x 21-7/8" (556 mm) D x 24-7/16" (621 mm) - 30-1/4" (768 mm) H	15" (381 mm)	BC42
5372-18-**-R	Double for 18" Cabinet Opening	37-5/8" (956 mm) W x 21-9/16" (548 mm) D x 24-7/16" (621 mm) - 30-1/4" (768 mm) H	18" (457 mm)	BC45
5372-21-**-R	Double for 21" Cabinet Opening	39" (991 mm) W x 21-3/4" (553 mm) D x 24-7/16" (621 mm) - 30-1/4" (768 mm) H	21" (533 mm)	BC48

## Double Blind Corner for Left Door/Blind Right Cabinets

PRODUCT	DESCRIPTION	DIMS	MCO	CAB
5372-15-**-L	Double for 15" Cabinet Opening	33" (838 mm) W x 21-7/8" (556 mm) D x 24-7/16" (621 mm) - 30-1/4" (768 mm) H	15" (381 mm)	BC42
5372-18-**-L	Double for 18" Cabinet Opening	37-5/8" (956 mm) W x 21-9/16" (548 mm) D x 24-7/16" (621 mm) - 30-1/4" (768 mm) H	18" (457 mm)	BC45
5372-21-**-L	Double for 21" Cabinet Opening	39" (991 mm) W x 21-3/4" (553 mm) D x 24-7/16" (621 mm) - 30-1/4" (768 mm) H	21" (533 mm)	BC48

## Soft-Close Kit

5372-SC-KIT-2	Soft-Close Kit for Double Shelves
---------------	-----------------------------------

# WOOD HALF-MOON LAZY SUSAN



- Designed for 12", 15" and 18" blind corner cabinet openings
- Double solid bottom shelves, wood classic
- Wood classic features solid rim and natural features steam bent rim
- Pivot and slide hardware
- 90 degree hinge euro brackets and standard mounting brackets
- Chrome-plated shafts
- TSCA Title VI compliant

## Wood Classic Half Moon Lazy Susans

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WLS882-32-570	Double Shelf with Pivot and Slide	32" (813 mm) W x 12" (305 mm) D x 18" (457 mm) H	12" (305 mm) - FF 13-1/4" (337 mm) - FL	BC42	Maple
4WLS882-35-570	Double Shelf with Pivot and Slide	35" (889 mm) W x 15" (381 mm) D x 18" (457 mm) H	15" (381 mm) - FF 16-1/4" (413 mm) - FL	BC45	Maple
4WLS882-38-570	Double Shelf with Pivot and Slide	38" (965 mm) W x 18" (457 mm) D x 18" (457 mm) H	18" (457 mm) - FF 19-1/4" (489 mm) - FL	BC48	Maple

# VANITY OUTLET GROOMING ORGANIZER PULLOUT



- Designed for face frame 12" full-height vanity 1-3/4", 1-1/2" and 1-5/8" cabinets
- Natural maple construction with semi-gloss finish
- (2) shelves with acrylic accents
- Full-extension, TANDEM, 135 lb. rated slides w/ BLUMOTION soft-close
- Patented foldable slide set for easy installation (US Patent No. 10,799,020)
- Mounts to cabinet door, floor and side
- Patented door mount brackets provide 5" of adjustability and include micro-trim adjuster (US Patent No. 8,388,076)
- Non-skid vinyl lining
- (2) removable stainless steel bins
- In-drawer receptacle with (2) 120V plugs
- Tamper-resistant outlets
- Max Current: AC: 12 amps @ 120VAC
- UL Recognized to UL962/CSA-C22.2 no. 0-10
- Power cord with NEMA 5 – 15 plug
- Integrated cord guide ensures safe operation
- Drawer stop prevents items from being stored "ON" inside the cabinet
- Its end-use determines the overall safety of this product
- US Patent No. 20210022492A1
- TSCA Title VI compliant



## Face Frame Vanity Outlet Grooming Organizer Pullout w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
445-VBOSC-8C	Grooming Organizer	9-9/32" (236 mm) W x 19-3/4" (501 mm) D x 26-1/8" (664 mm) H	8-1/2" (216 mm) - FF 9-1/2" (241 mm) - FL	FHVB12	Maple



# VANITY APPLIANCE STORAGE RACK



- Designed for 30" vanity base (butt door) cabinets
- Natural maple frame with semi-gloss finish
- Mounts to cabinet door
- Non-skid lining on lower level shelf
- (2) 1.25 qt. stainless steel bins
- Patented adjustable mounting brackets with 5" of adjustability (US Patent No. 7,204,569)
- TSCA Title VI compliant

## Vanity Appliance Storage Rack

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4HD-15-1	Storage Rack	10-3/4" (273 mm) W x 6" (152 mm) D x 13-7/8" (352 mm) H	12-3/8" (314 mm)	V3018, V2121, V3021, V3021D	Maple

# VANITY STORAGE RACK



- Designed for 12", 15", 18", 21" and 24" vanity base cabinets
- Natural maple frame with semi-gloss finish
- (2) non-skid vinyl shelves with acrylic accents
- Mounts to cabinet door
- Patented adjustable door mount brackets provide up to 5" of adjustability (US Patent No. 7,204,569)
- TSCA Title VI compliant


## Door Mount Vanity Storage Rack

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4VR-12-1	Storage Rack for 12"	8-1/4" (209 mm) W x 3-1/8" (80 mm) D x 15-1/2" (394 mm) H	9" (229 mm)	VB12	Maple
4VR-15-1	Storage Rack for 15"	11-1/4" (285 mm) W x 3-1/8" (80 mm) D x 15-1/2" (394 mm) H	12" (305 mm)	VB15	Maple
4VR-18-1	Storage Rack for 18"	14-1/4" (362 mm) W x 3-1/8" (80 mm) D x 15-1/2" (394 mm) H	15" (381 mm)	VB18	Maple
4VR-21-1	Storage Rack for 21"	17-1/4" (438 mm) W x 3-1/8" (80 mm) D x 15-1/2" (394 mm) H	18" (457 mm)	VB21	Maple
4VR-24-1	Storage Rack for 24"	20-1/4" (514 mm) W x 3-1/8" (80 mm) D x 15-1/2" (394 mm) H	21" (533 mm)	VB24	Maple

# L-SHAPED VANITY ORGANIZER



- Designed for 24" and 30" vanity sink base cabinets
- Natural maple dovetail construction with semi-gloss finish
- Full-extension, TANDEM, 90 lb. rated slides with BLUMOTION soft-close
- Anti-skid vinyl lining on lower level
- (6) acrylic bins for upper level
- Mounts to cabinet floor
- TSCA Title VI compliant



**PIPE CLEARANCE DIMENSIONS**  
(For both units)

## L-Shaped Vanity Organizer w/ Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
441-12VSBSC-1	Vanity Organizer for 24"	8-3/4" (223 mm) W x 18-3/4" (477 mm) D x 18-7/8" (479 mm) H	10-1/4" (260 mm)	V2421, V2121	Maple
441-15VSBSC-1	Vanity Organizer for 36"	11-11/16" (296 mm) W x 18-3/4" (477 mm) D x 18-7/8" (479 mm) H	13-1/4" (337 mm)	V3021, V2121	Maple

# BOTTOM MOUNT WOOD HAMPER



- Designed for face frame 24" vanity base cabinets
- Single 1.5 BU polymer hamper, white
- Natural maple frame with semi-gloss finish
- Full-extension, 135 lb. rated concealed slide w/ BLUMOTION soft-close
- Mounts to cabinet door and floor
- (1) matching lid
- TSCA Title VI compliant



## 1.5 BU Bottom Mount Hamper Pullout w/ BLUMOTION Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WH-VCSC-21DM-1	Hamper Pullout	20-5/16" (515 mm) W x 18-11/16" (474 mm) D x 21-1/4" (539 mm) H	21" (533 mm)	VB24	Maple

# BOTTOM MOUNT REV-A-MOTION®



- Designed for 18" full height vanity and base height vanity cabinets
- Single 1.5 BU polymer hamper w/ lid, white
- Natural maple frame with semi-gloss finish
- Full-extension with 1-1/2" over-travel, ball-bearing, 150 lb. rated, concealed slides with Rev-A-Motion® soft-open/soft-close (US Patent No. 8,091,971)
- Mounts to cabinet door and floor
- Pre-assembled door mount brackets
- TSCA Title VI compliant

US PATENT NO: 8,091,971



## Bottom Mount Hamper Pullout w/ Rev-A-Motion®

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WH-RM-15DM-1	1.5 BU Hamper	14-1/4" (362 mm) W x 19-3/4" (502 mm) D x 21" (534 mm) H (with lid)	14-1/2" (381 mm) - FF 14-1/2" (381 mm) - FL	FHVB18	White/Maple

# BOTTOM MOUNT WASTE CONTAINER



- Designed for 30" vanity sink base cabinets and 15" base vanity cabinets
- Single 8 qt. polymer container, metallic silver
- Full-extension, 110 lb. rated, concealed slides with soft-close
- Rear storage
- Mounts to cabinet floor
- (1) white lid with 8 qt.
- TSCA Title VI compliant

## Bottom Mount Vanity Waste Container w/ Soft-Close

PRODUCT	DESCRIPTION	DIMS	MCO	CAB	FINISH
4WCSC-128-19-1	Single 8 qt.	8-5/8" (219 mm) W x 18-9/16" (471 mm) D x 13-15/16 (354 mm) H	9" (229 mm)	V2421D, V3021D	Metallic Silver/Maple

