

Thank you for choosing Wellsford Cabinetry!

This updated **Door Selection Guide** provides information on our offerings, price levels, minimum sizing, and dimensional details for standard doors. The guide highlights:

- 32 of our most popular wood doors
- 35 new wood door styles
- 37 new Alternative Material door styles

Custom Door Styles: Door styles can be created to suit specific requirements. If you have interest to match something specific, please contact the **order desk.** We will be happy to review how we can accommodate your request.

Wood Species: Most door styles are available in a variety of woods. These selections can be found on the wood species availability list found on page 0.19. Bamboo and rustic knotty selections will have some exceptions. Please refer to your sample library to determine the possible finishes for each door style. Many door styles have other wood species available on an as needed basis. Contact the **order desk** for your specific requirements.


Overlays: All wood door styles can be ordered in framed 1/2" standard overlay and frameless full overlay. Other overlays and insets are available as noted on the specification page for each door. Alternative Materials styles are frameless full overlay only.

Inset: A variety of inset options are available on most mortise & tenon door styles. Details are included on the specification page for each door. Inset doors have soft-close concealed hinges. Exposed hinges are available by quote only.


Sizing: Size restrictions for each door will vary. The minimum sizing is critical when small width cabinets are necessary in a design. In general, for below minimum widths, we try to maintain the framing size of the standard door and vary the left to right overlay. The maximum width for a single panel door is 24". Mortise & tenon doors over 24" wide will be 2 panel. For doors with side mount hinges, maximum width is 24". For top mount hinges, maximum width door is 48". Minimum heights are listed on each door style page, but may vary with hinging. The maximum height for a mortise and tenon door with a single panel is 48" high. Mortise and tenon doors over 48" high will be 2 panels to stay in warpage warranty. Mitered doors over 48" high will be 1 panel and will not be covered for warpage. The tolerance for any door or drawer front is +/- 1/32" in width and height.



Mortise & tenon doors typically have five details that determine the door style.



Mitered door styles cannot have custom framing width, edge profiles or framing beads. These details are part of the cutter that makes the door style. The panel raise can be customized.



Given the nature of mitered products, multiple panel products such as wainscot are not available, nor are integral wainscot sides. Sometimes, a mortise and tenon design with some similar details can be used. Contact the **order desk** for assistance.

Door Selection Guide



Drawer heads: Each door style is available with several drawer head designs shown on the specification page. Five piece drawer heads are available for most door styles. Some drawer heads are not available in 3/8" partial inset. It is possible to use a combination of drawer head styles by selecting Small Drawer Front designs (SDF), and Large Drawer Front designs (LDF) in the Quick Order Entry (QOE) software.

There are several options for framing of the drawer fronts in QOE. LDF styles should use "match door framing" to ensure panel alignment with adjacent doors. It is common for SDF styles to use "reduced top and bottom rails" to maximize the height of the center panel. Mitered SDF designs will typically have reduced framing that is style specific.







NOTES



Table of Contents

Door Style Index	i.vi
Wood Doors and Drawer Fronts	1.001
Alternative Materials	1.153
Wood Door Design Options	1.235



Door Style Index

Alexandria	1.032	Churchill	1.130
Aluminum Frame	1.200	Colonial	1.008
Amesbury	1.034	Colony RE	1.010
Annapolis	1.036	Columbus	1.044
Aspen	1.100	Copenhagen	1.080
Astor	1.038	Crawford	1.064
Astoria	1.002	Crest	1.046
Augusta	1.040	Crossbuck	1.142
Austin	1.076	Daytona 225	1.164
Avalon	1.156	Daytona 300	1.166
Bahama	1.150	Delray 225	1.168
Barcelona	1.124	Delray 300	1.170
Bellevue	1.126	Dover	1.012
Berkley	1.042	Edgemont	1.104
Biltmore	1.078	Edgemont RE	1.106
Boca 225	1.158	Franklin	1.048
Boca 300	1.160	Georgia	1.082
Boulder	1.102	Hampton	1.014
Brandywine	1.128	Hudson	1.016
Bridgeport RE	1.004	Intrigue	1.220
Bristol	1.006	Key West	1.144
Brussels	1.062	Kingston	1.084
Cabo 225	1.162	Lasalle	1.032



Madison	1.086	Savannah	1.070
Melbourne225	1.172	Savoy	1.026
Melbourne 300	1.174	Shaker	1.050
Montego 225	1.176	Sorrento 225	1.188
Montego 275	1.178	Sorrento 300	1.190
Newport	1.018	Square Flat	1.028
Niagara	1.020	Square Raised	1.052
Nova RE	1.146	Stockholm	1.054
Old Forge	1.088	Strata	1.204
Olympia	1.022	Synchronicity – Mera	1.228
Oslo	1.090	Synchronicity – Vertro	1.230
Oxford	1.108	Tobago 225	1.192
Paris	1.066	Topeka	1.114
Plymouth	1.138	Veracruz225	1.194
Presidio	1.110	Veracruz275	1.196
Presidio RE	1.112	Verona	1.116
Prestwick	1.068	Vogue	1.212
Provencal	1.092	Wakefield	1.096
Quaker	1.024	Washington	1.056
Rio 225	1.180	Wayland	1.118
Rio 300	1.182	Westminster	1.072
Roma 225	1.184	Woodridge	1.120
Roma 300	1.186	Wright	1.058
Rosecliff	1.134		
Rutland	1.094		

Door Selection Guide



Wood Door Styles by Level

Level 1	page	Level 2	page
Astoria	1.002	Alexandria	1.032
Bridgeport RE	1.004	Amesbury	1.034
Bristol	1.006	Annapolis	1.036
Colonial	1.008	Astor	1.038
Colony RE	1.010	Augusta	1.040
Dover	1.012	Berkley	1.042
Hampton	1.014	Columbus	1.044
Hudson	1.016	Crest	1.046
Newport	1.018	Franklin	1.048
Niagara	1.020	Shaker	1.050
Olympia	1.022	Square Raised	1.052
Quaker	1.024	Stockholm	1.054
Savoy	1.026	Washington	1.056
Square Flat	1.028	Wright	1.058
		Level 3	
		Brussels	1.062
		Cupurford	1.064

Brussels	1.062
Crawford	1.064
Paris	1.066
Prestwick	1.068
Savannah	1.070
Westminster	1.072

Door Selection Guide





Level 4	page	Level 6	page
Austin	1.076	Barcelona	1.124
Biltmore	1.078	Bellevue	1.126
Copenhagen	1.080	Brandywine	1.128
Georgia	1.082	Churchill	1.130
Kingston	1.084	Lasalle	1.132
Madison	1.086	Rosecliff	1.134
Old Forge	1.088		
Oslo	1.090	Level 7	
Provencal	1.092	Plymouth	1.138
Rutland	1.094		
Wakefield	1.096	Level 8	
		Crossbuck	1.142
Level 5		Key West	1.144
Aspen	1.100	Nova RE	1.146
Boulder	1.102		
Edgemont	1.104	Level 9	
Edgemont RE	1.106	Bahama	1.150
Oxford	1.108		
Presidio	1.110		
Presidio RE	1.112		
Topeka	1.114		
Verona	1.116		
Wayland	1.118		
Woodridge	1.120		



NOTES



WOOD DOORS & DRAWER FRONTS

LEVEL 1



Astoria Level 1

/	Fam	Fram ()	SSO MIN	Furnium Bornium	Plain !	Beach	Full 0, 100t	Matching	Payor Front	5/0	00 Fig. 1		Availabil alang	()	\ \overline{\phi}
	NA				NA	NA			NA	NA		NA	NA	NA	

Notes:

Specify horizontal or vertical grain.

Sequential grain match available -

max: 48" short grain, 96" long grain.

Order hardwood parts with L034 edge to match profile.

Available wood species: bamboo, cherry, hard maple,

rift cut white oak, walnut.

Mullions not available in veneered doors. Suggest 1-lite (frame only)

glass door in Amesbury, Bristol or Quaker.

Mullion doors in Quaker only.


Minimum Size: 2-1/2"w x 6"h (max 48" x 96")

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Astoria

Specify Horizontal Or Vertical Grain




Slab

Specify Horizontal Or Vertical Grain





Bridgeport RE Level 1



Notes:

Mullions not available.

Suggest mullion glass doors in Quaker door style (3/8" recess ilo 9/32") or 1-lite (frame only) glass door.

Minimum Size: 7"w x 5"h

Section Drawings of options available:


3/4	Edge Profile L-1160 Front and Back
2 1/4	Framing Bead FB-0150
1/4" Flat Panel Door Edge Pi	► 9/32" Recess rofile Option


Edge Profile L-1160 Front and Back

Slab Edge Profile Option


MDF Availability
1 PC 2 PC 5 PC

NA







Slab




Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Bristol Level 1

Ties.	Fram.	Solo Mild	Furnium Bonium	Plain !	Read.	Full 0.	Watching	Radii, Front	Standard Hoodard	COOFFORT	Signal (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Available dans	Wain Sain	/
								NA						

Notes:


Mullions not available.


Suggest mullion glass doors in Quaker door style (3/8" recess ilo 9/32") or 1-lite (frame only) glass door.

Minimum Size: 7"w x 5"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA







Slab




Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Colonial Level 1

Frame	Liam Land	Ssolo, Mr.	Furnius Bornius	Plain !	Beach Inser	Full 0, 100 to 1	Matching	Pagin Front	5/0		Standard Arcidard	Available lang	Waine W	100
								NA						

Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


Minimum Size: 7"w x 5"h


Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC

1 PG 2 PG 5 PG

















Large Drawer Front match door framing 'LDF'







Colony RE Level 1



Notes:

Matching mullion bead not available.


Suggest mullion glass doors in Dover door style (3/8" recess ilo 1/4") or 1 lite (frame only) glass door


Minimum Size: 7"w x 5"h

Section Drawings of options available:


	.90 0. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3/4	Edge Profile L-1160 Front and Back
2 11/16	
	Framing Bead FB-0171 (30° Bevel) Center Plow
/4" Flat Panel	1/4" Recess

Slab Edge Profile Option





Slab Edge Profile Option





Dover Level 1

1	Fram Pool	Ssolo, Mild	Furnius Bonius	Plain !	Read.	Full O.	Watching	Radii, Front	V/ / N	10 10 10 10 10 10 10 10	Signal (1907)	Available lang	()	000
								NA						

Notes:

Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7"w x 5"h

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC

Level 1 3/4 Dover Edge Profile L-1160 2 5/16 Framing Bead F-1223 (30° Bevel) 3/8" Recess 1/4" Flat Panel Edge Profile Slab L-1160 Small Drawer Front with reduced rails Edge Profile L-1160 'SDF' 1 1/2 Framing Bead F-1223 (30° Bevel) Large Drawer Front match door framing 3/8" Recess 'LDF' 1/4" Flat Panel match door framing (see door detail above)



Hampton Level 1

Frames	Frame	SSO MIN	Furniture Boniture	Plain !	Beach Insert	Full 0,	Watching	Radii, Front	~ /3	00 Fig. 10 10 10 10 10 10 10 1	ۆ/ \غ	Availabil alang	/) /	/
								NA						

Notes:


Matching mullion bead not available.


Suggest regular bead or 1-lite (frame only) glass door. Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


Minimum Size: 7"w x 5"h


Section Drawings of options available:

٨	/IDF	Α	vaila	ab	ility
1	PC	2	PC	5	PC











Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Hudson Level 1

Frame	L'am	Ssolo, Mr.	Furnius Bonius	Plain !	Read.	Full O.	Watching	Radii, Front	5/50		Sianos 160 Arrigarii	Availab/alang	0 /	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
								NA						


Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


Minimum Size: 7"w x 5"h


Section Drawings of options available:

N	/IDF	Α	vaila	ab	ility
1	PC	2	PC	5	PC












Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Newport Level 1

Figh	Fram	Ssolo, Mild	Furniug Boniug	Plain !	Read.	Full O. Inset	Watching	Radii, Front	Standard Oct 150 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 00 10 10 10 10 10 10 10 10 10 10 10	Sign 20 100 / Aigh 20 / Ai	Availab lang	Waine Waine	100
								NA						

Notes:

Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


Minimum Size: 7"w x 5"h

Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA


Newport Edge Profile L-1160 Framing Bead Bridgeport(F-598) 1/4" Flat Panel Slab Edge Profile L-1160





Large Drawer Front match door framing 'LDF'







Niagara Level 1

L'am	Solo Mild	Furnium Bonium	Plain !	Beach.	Full 0,	Watching	Radii. Font	Standard Hochard	Coo Front His cont	S / 3	Available dang	Wain Wain	/
							NA						


Notes:


Matching mullion bead not available – Suggest regular bead (see p. 1.160) or 1-lite (frame only) glass door.

Minimum Size: 7"w x 5"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA












Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Olympia Level 1

Frames	Frame	SSO MIN	Furniture Borniure	Plain !	Beach Insert	Full 0,	Matching	Radii, Front	V /5		Signal (1900) Arejoar	Available lang	Waine Waine	\ \overline{0}{0}
								NA						


Notes:

Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7"w x 5"h

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC





Quaker Level 1

Fram	Fram Page	Pymoloss /	Funiture Boriture	Plain!	Beach Inser	Full O. Inser	Matching	Payor Front	~ /3		Siano 100 /	Available lang	Waine	100


Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


Minimum Size: 7"w x 5"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC












Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Savoy Level 1

Fram	Fram.	SSO MIN	Furniture Bosniture	Plain !	Beach Inser	Full 0,	Watching	Payor Front	~/ / r	COOFFORT HOROGALON	- / 4	Available dance	Wains	100
NA				NA	NA			NA	NA		NA	NA	NA	

Notes:

Specify horizontal or vertical grain.

Sequential grain match available -

max: 48" short grain, 96" long grain.

Order hardwood parts with machine edge to match profile.

Available wood species: bamboo, cherry, hard maple,

rift cut white oak, walnut.

Mullions not available in veneered doors. Suggest 1-lite (frame only)

glass door in Amesbury, Bristol or Quaker.

Mullion doors in Quaker only.


Minimum Size: 2-1/2"w x 6"h (max 48" x 96")

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Savoy

Specify Horizontal Or Vertical Grain



Slab

Specify Horizontal Or Vertical Grain





Square Flat Level 1

Tr.	Fram 100	SSO MIN	Furniur Boniur	Plain !	Read.	Full 0, 100 t	Watching	Radii, Front	~ /3	/ VO FOR	Signal Si	Availab alang	Waine Waine	/

Notes:


Your choice of available edge profiles (p.1.236) and framing beads (p.1.238-239).

Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7"w x 5"h

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC






NOTES



LEVEL 2



Alexandria Level 2




Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:




Drawer Panel Option





MDF Availability
1 PC 2 PC 5 PC

Door Panel and Edge Profile Option













Small Drawer Front with reduced rails 'SDF'





Large Drawer Front match door framing











match door framing (see door detail above)



Amesbury Level 2

Fr	Fram	SSO MIN	Furniture Borniure	Plain !	Beach Set	Full 0, 100 1	Matching	Padii, Front	\ / / .\		Signal (1907)	Available alang	/\	\ \odots
									NA		NA	9.		

Notes:

Matching mullion bead not available – Suggest square or regular bead

or 1-lite (frame only) glass door.

Glass recess will be 3/8" (ilo 1/8") on mullion doors.


1-lite (frame only) glass door available with 1/8" recess on glass

Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA





Annapolis Level 2




Notes:


Matching mullion bead not available -Suggest regular or ogee mullion profile. Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h

P-057


MDF Availability 1 PC 2 PC 5 PC





Drawer Panel Option

Door Panel and Edge Profile Option



match door framing (see door detail above)

Astor Level 2



Frag.	Fram Page	Pywess /	Furnius Bornius	Plain (Beach Inser	Full 0,	Watching Dreining	Padii, Front	V/ / .\	10 00 FON 10 00 FON 10 00 01	Standard Arcidard	8/8	/) /	100
									NA		NA			


Notes:


1-1/2" rails on SDF available by custom quote.


Minimum Size: 9"W x 9"h

MDF Availability
1 PC 2 PC 5 PC
NA NA NA

Section Drawings of options available:










Small Drawer Front with reduced rails 'SDF'




Large Drawer Front match door framing 'LDF'










match door framing (see door detail above)



Augusta Level 2





Notes:

Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:






MDF Availability

1 PC 2 PC 5 PC

Drawer Panel and Edge Profile Options

Door Panel and Edge Profile Option



match door framing (see door detail above)

Door Selection Guide

Berkley Level 2



L'A	France	SSO MIN	Furniure Borniure	Plain,	Beach Insert	Full 0, 1984	Watching	Pagii, Front	~ /\$		Standard Aroldard	Availabil alang	Waine	100
									NA		NA	Ò		

Notes:


Matching mullion bead not available – Suggest square bead or 1-lite (frame only) glass door.

Minimum Size: 8-7/8"w x 7-1/2"h

Section Drawings of options available:


				N	1A						
1	PC	2	PC	5	PC						
MDF Availability											

3/	Edge Profile L-1160
2 3/4	
	Framing Bead Design Specific 30° Bevel
3/8" Reverse G-Cove	1/4" Recess





Columbus Level 2




Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h

MDF Availability
1 PC 2 PC 5 PC


Section Drawings of options available:






Drawer Panel Option

Door Panel Option



Large Drawer Front match door framing



match door framing (see door detail above)



Crest Level 2

Framed	Frameless	Furnius Bonius	Plain !	Beach Inser	Full 0,	Matching	Payor Front	Standard Hooderd Hooderd		Standard Arcidard	Available lang	Waine	100


Notes:


Matching mullion bead not available – Suggest square bead or 1-lite (frame only) glass door.


Minimum Size: 8-7/8"w x 8-7/8"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA
















Large Drawer Front match door framing 'LDF'





match door framing (see door detail above)

Franklin Level 2



Famed	Solow Physics Physics	Funiture Boniture	Plain !	Beach Sey	Full O.	Matching	Payor Front	~ /3		Signal Si	Available lang	Wains	/ \$\display


Notes:			


Minimum Size: 8-7/8"w x 8-7/8"h

Section Drawings of options available:


	3/4	Edge Profile L-1160
2 3/4		
<u> </u>	 	Framing Bead Regular
	\-	Panel Raise P-008

	Availa	Andrew Commission of the Commi
1 PC	2 PC	5 PC
NA	NA	








Small Drawer Front with reduced rails 'SDF' Recommend Flat Panel (shown)




Large Drawer Front match door framing 'LDF'










match door framing (see door detail above)



Shaker Level 2




Notes:			

Minimum Size: 8-7/8"w x 8-7/8"h

Section Drawings of options available:

Λ	/IDF	Α	vaila	ab	ility
1	PC	2	PC	5	PC





Square Raised Level 2

Framod	Framoless	Prince South	Plain I	Beads Inser	Full O. Inset	Matching	Pacificont Pacificont	V/ / .\	10/00 Figure 1	Sign 190 190 A'right	Available dance	/) /	000

Notes:

Your choice of available edge profiles (p. 1.173), framing beads (p. 1.174-175). and panel raise (p. 1.176) Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


*Not all framing beads have matching mullion profiles.

Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:

٨	1DF	Α	vaila	ab	ility
1	PC	2	PC	5	PC
				17.	

Door Selection Guide





Stockholm Level 2

Framod	Famoloss	Furnius Bornius	Plain !	Beach	Full 0,	Matching	Payor Front	Standard Hooder	COOFFORT History History	Standar 100 /	Available lang	Waine	100

Notes:

Grain match is not available on solid wood doors.

If grain match is desired select a veneered door from Level 1.


MDF is preferred for painted finishes.

MDF doors do not have battens on the back.


Minimum Size: 6"w x 7-1/2"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA




Batten





Washington Level 2






Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:




Drawer Panel Option





MDF Availability


Door Panel Option























match door framing (see door detail above)



Wright Level 2




Notes:


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.


Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:




Drawer Panel Option






Door Panel Option

Wright







Small Drawer Front with reduced rails 'SDF'





Large Drawer Front match door framing 'LDF'



Level 2







match door framing (see door detail above)



NOTES



LEVEL 3

Brussels Level 3



4	Fram	Fram Page	Seles Mild	Furniture Bosniture	Plain !	10801 Beach	Full 0.	Watching O	Radii, Front	\ / / .\		Ø /;	Available lance	/) /	/
					NA	NA				NA		NA		NA	

Notes:


Matching mullion bead not available – Suggest 1-lite (frame only) glass door.

Minimum Size: 7-1/2"w x 7-1/2"h

Willimum Size. 7-1/2 W X 7-1/2 m


MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Section Drawings of options available:




Door Edge Profile Option









Slab




Small Drawer Front match door framing 'SDF'



Large Drawer Front match door framing 'LDF'





match small drawer front (see SDF detail above)



Crawford Level 3

Fram	Fram.	SSO/OMIN	Furnius Bornius	Plain !	Beach Insert	Full 0, 100t	Matching	Payor Front	~ /3		Siange 160 /	Available lance	Wain.	1000
									NA		NA			

Notes:

Matching mullion bead not available – Suggest 1-lite (frame only) glass door.


Minimum Size: 7-1/2"w x 7-1/2"h


Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC


| NA


Level 3















Large Drawer Front match door framing







Paris Level 3

Fram Pool	Solo Mild	Land Rock	Plain !	Beach Inser	Full 0, 1984	Matching O	Pagin Front	0 /2	ø /;	A 700 / R.D. A 100	()	/
								NA	NA			

Notes:

Formerly the "French Inset" door style. Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Mi


Se

	MDF	No. 10 To the Property of	
inimum Size: 7-1/2"w x 7-1/2"h	1 PC	2 PC	5 PC
ection Drawings of options available:			NA
3/4			

3/4	Edge Profile L-1160
2 1/4 3/8" Reverse G-Cove	Framing Bead Bridgeport (F-598)


Door Panel Option






Slab


Small Drawer Front with reduced rails 'SDF'




Large Drawer Front match door framing 'LDF'



Level 3







Prestwick Level 3

Framoo Fram	Solo Mand	Plain Inc	Beach Inc.	/ () /	Radii, Front	Standard Hocard	CO FONT HOLOSAIN	Standard Arcidard	Available lance	Wains	/

Notes:


Matching mullion bead not available –
Suggest square or regular bead
or 1-lite (frame only) glass door.
Glass recess will be 3/8" on mullion doors.
1-lite (frame only) glass door available with 1/8" recess
on glass.


Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA NA

Level 3







Small Drawer Front with reduced rails 'SDF'




Large Drawer Front match door framing 'LDF'








Savannah Level 3



Notes:

Matching mullion bead not available – Suggest square or regular mullion bead or 1-lite (frame only) glass door.





Door Panel Option

Door Panel Option


Level 3

Savannah








'SDF' Recommend Flat Panel (shown)




Large Drawer Front match door framing 'LDF'











Westminster Level 3

Fram	Fram Pam	Pymess /	Furniture Borniure	Plain !	Beach Inser	Full 0, 100 1	Matching	Pagii, Front	V/ / N	10/00 Figure 10/00	Sign 190 /	Available dance	Wain.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
									NA		NA			

Notes:

Matching mullion bead not available – Suggest 1-lite (frame only) glass door.


Minimum Size: 8"w x 8"h


Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Level 3









Slab




Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







NOTES



LEVEL 4

Austin Level 4



Trong Production of the Produc	Fram.	Pymess /	Furnius Bornius	Plain!	Beach Inser	Full 0, 100 1	Matching	Pagii, Font	V/ / N	00 Fig. 10 10 10 10 10 10 10 1	Standard Argania	Available lang	0	100
	3								NA		NA			

Notes:

Not available in rustic knotty wood species


Actual framing size may vary between 2-1/4" and 2-5/16"

depending on vendor selected by Wellsford.

Minimum Size: 7-1/2"w x 7-1/2"h


Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA NA



Edge Profile Option

Door Selection Guide








Level 4




Small Drawer Front with Reduced Rails 'SDF'












Biltmore Level 4



Notes:

Not available in bamboo wood.

Matching SDF not available in inset styles.


1-1/2" rails on SDF available by custom quote.


Minimum Size: 9-3/4"w x 9-3/4"h,

matching SDF 6" high

Section Drawings of options available:

	Edge Profile L-1160
3 3/8	
↓	Framing Bead FB575
	Panel Raise Reverse G-Cove
Edge Pro	ofile Option







Edge Profile Option

3 3/8

Biltmore







Level 4


Framing Bead FB575


Panel Raise Reverse G-Cove






Small Drawer Front with 2 1/4" rails 'SDF'






Large Drawer Front match door framing 'LDF'





Copenhagen Level 4



Notes:


Not available in bamboo or rustic knotty species.


MDF version is 1" thick at its widest point.

Minimum Size: 7-1/8"w x 7-1/8"h

MDF Availability
1 PC 2 PC 5 PC
NA

Section Drawings of options available:







Level 4


Door Selection Guide

Copenhagen






Slab




Small Drawer Front with 1 1/2" Framing 'SDF'





Large Drawer Front match door framing 'LDF'





Georgia Level 4

Fram	Fram.	Pywers / Williams	Furniture Borniure	Plain!	Beach Insert	Full 0,	Matching	Pagii, Front	~ /\$	CO FOR TONE	Standard Aroldard	Available lang	Waine	/
	3							7	NA		NA			


MDE Availability


Minimum Size: 7-7/8"w x 7-5/8"h

Section Drawings of options available:

Λ	/IDF	Α	vaila	ab	ility
1	PC	2	PC	5	PC
				15.	


Level 4







Slab


Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'








Door Selection Guide



Kingston Level 4





Notes:


Minimum Size: 8"w x 10-1/8"h

MDF Availability
1 PC 2 PC 5 PC
NA NA NA

Section Drawings of options available:








'SDF' and 'LDF' #10141 option

Door Selection Guide





Slab

Small Drawer Front with Reduced rails 'SDF'




Large Drawer Front with 1 1/2 rails and P-106 panel raise 'LDF'






Large Drawer Front match door framing with P-106 panel raise 'LDF'



Large Drawer Front matches SDF framing and panel 'LDF'





Madison Level 4

Famer	L'ame,	Pymess / Marie	Furnius Bornius	Plain !	Beach Insert	Full 0, 100 1	Watching	Pagii, Font	~ /\$	00 Fig. 1	Siano 160 A'rigari	Ayaiiabi alang	Waine Value	100
	3								NA		NA			

Notes:

Mullions available in regular and square framing bead profiles only. Not available in rustic knotty wood species

Actual framing size may vary between 2-1/4" and 2-5/16"

depending on vendor selected by Wellsford.

Minimum Size:


7-3/16 "w x 7-3/16"h

1 PC 2 PC 5 PC

Section Drawings of options available:


NA NA NA


MDF Availability





Edge Profile Option


Level 4

















1/4" Recess



Old Forge Level 4

14	l Dough	SSO MIN	Furniture Boniture	Plain I	Read.	Full O.	Matching OF	Radii Front	Standard 1001	10 00 Fig. 10 Fig. 1	φ / <u>;</u>	Availabil alang	Waine Waine	1000
				NA	NA				NA		NA		NA	

Notes:

Not available in rustic knotty wood species All ¾" panel raises are available.


Minimum Size: 8"w x 8"h


Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC


NA NA























Oslo Level 4




Notes:

Mullions available in square bead only

Minimum Size: 7"w x 8-1/8"h


MDF Availability
1 PC 2 PC 5 PC
NA

Section Drawings of options available:



2 1/4











match door framing (see door detail above)


3/4

Edge Profile V2

Framing Bead Design Specific

Flat Panel

Edge Profile V2





Provencal Level 4

Frank	Fram	Pymess /	Furnius Bornius	Plain !	Bead.	Full O. Insor	Matching	Payor Front	~ /\$	10 00 10 10 10 10 10 10	Ø /	Available dance	Waine	000
	36 3			NA	NA	8			NA		NA		NA	

Notes:


Not available in rustic knotty wood species. Mullions available in regular bead profile only. All 3/4" panel raises are available.


Minimum Size: 8-5/8"w x 8-5/8"h


Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA NA


Level 4















Large Drawer Front match door framing 'LDF'



Rutland Level 4




Fram	Fram.	Solo Mil	Funiture Boniture	Plain !	8890, SQ4	Full 0, 100 1	Matching O	Radii, Fort	Siano 200 /		Stand 180 / A.C. Car.	Available lang	Waine	1 / 00
				NA	NA				NA		NA		NA	

Notes:


Not available in bamboo or rustic knotty wood species.

Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:





Door Panel Option




MDF Availability
1 PC 2 PC 5 PC









Slab




Small Drawer Front with 2 1/16 Framing 'SDF'






Large Drawer Front with match door framing 'LDF'





Wakefield Level 4




Notes:


Mullions available in square bead only


Minimum Size: 7"w x 8-1/8"h

Door Panel Option

Section Drawings of options available:









Drawer Panel Option

Door Selection Guide







Small Drawer Front with Reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







NOTES



LEVEL 5



Aspen Level 5

 Fram	100 Fram	SSO MIN	Furniture Bositure	Plain !	Beach	Full 0,	Matching	Agolii Front	\ / / i\		5,00 400 8,00 4,00	Availabil alang	(/)	\ \odo \odo
				NA	NA			NA	NA		NA		NA	

Notes:

Available in: cherry, hard maple, paint grade, red oak, rift cut white oak, walnut only.


Not available with glass doors.


Minimum Size: 4"w x 4"h

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Level 5





Matching Drawer front only 'SDF' and 'LDF'







Boulder Level 5

Figh	Fram ()	SSO MIN	Furniture Bositure	Plain !	Š / 6	Full O.	Matching Of	Agolii, Front			5/30 4/80 / A'r,0ar	Availabil alang	Mains S	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
				NA	NA			NA	NA		NA		NA	

Notes:

Available in: cherry, hard maple, paint grade, red oak, rift cut white oak, walnut only.


Not available with glass doors.


Minimum Size: 4"w x 4"h

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Level 5





Matching Drawer front only 'SDF' and 'LDF'







Edgemont Level 5

Fam	Fram.	Plus Solo	Eurniture Boriture	Plain,	Board Insert	Full 0, 100t	Matching Oraching	Radii, Front	~ /\$	COOF ON Hinces (N	Star 60 / 00 / 00 / 00 / 00 / 00 / 00 / 00	A mod CR. D. A ail aby Calance	7) /	/
									NA		NA			155


Notes:

Available with square mullion bead profile only.

Minimum Size: 8-1/2"w. x 8-1/2"h.

MDF Availability
1 PC 2 PC 5 PC


Section Drawings of options available:





Door Edge Profile Option


Door Selection Guide


Level 5



















Large Drawer Front match door framing 'LDF'





Edgemont RE Level 5



Notes:


Available with square mullion bead profile only.


Minimum Size: 7"w. x 5"h.

MDF Availability

1 PC 2 PC 5 PC


Section Drawings of options available:








Door Edge Profile Option


Level 5
















Large Drawer Front match door framing 'LDF'






Oxford Level 5




Notes:

Available with regular mullion bead profile only. Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

7"w. x 6-3/4"h. Minimum Size:






MDF Availability 1 PC 2 PC 5 PC


NA


NA

NA











Small Drawer Front with Reduced Rails 'SDF'









Presidio Level 5



14 P.	/ 00/ Fr	SSO MAN	Furniture Borniure	_ / _	Beach Sept	Full O. 1004	Matching Dreching	Awar Front Radii, Front	15 Do. 1900 Standard 1000 Standard	C 00 F. O. T. C.	5,00 1,00 A'andarii	Available lance	Waing	/ \os
									NA		NA			


Notes:

Available with square mullion bead profile only.


Minimum Size: 8-1/2"w. x 8-1/2"h.


MDF Availability
1 PC 2 PC 5 PC

Section Drawings of options available:




Presidio







Slab




Small Drawer Front with reduced rails 'SDF'



Large Drawer Front match door framing 'LDF'







Presidio RE Level 5

Fam	Fam.	Plum Plum	Eurille 8	Plain (10801 Beach	Full O Inset	Marching Draching	Radii, Front	~ /\$	Star 60 / A for 100 / A for 100 / 20 / 20 / 20 / 20 / 20 / 20 / 20	A mod R.P. Pailable lang	Nain Nain Nain Nain Nain Nain Nain Nain	/
									NA	NA			S


Notes:


Available with square mullion bead profile only.

Minimum Size: 7"w. x 5"h.

MDF Availability
1 PC 2 PC 5 PC

Section Drawings of options available:








Door Edge Profile Option


Door Edge Profile Option


Level 5















Large Drawer Front match door framing 'LDF'





Topeka Level 5

France Contraction of the Contra	Fram.	SS MIN	Furnium Bonium	Plain !	§ / ¿	Full 0,	Matching Or Ching	Agon Front	\ / / i\			Availabo dano	Wains	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
				NA	NA			NA	NA		NA		NA	

Notes:

Available in: cherry, hard maple, paint grade, red oak, rift cut white oak, walnut only.


Not available with glass doors.


Minimum Size: 4"w. x 4"h.

Section Drawings of options available:

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Level 5





Matching Drawer front only 'SDF' and 'LDF'







Verona Level 5




Notes:


Available with regular mullion bead profile only.


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7-1/4"w. x 7-1/4"h.


MDF Availability
1 PC 2 PC 5 PC
NA NA NA











Level 5





















Wayland Level 5



Notes:

Square mullion bead is standard.


Regular mullion bead is available as custom quote.


Actual framing size may vary between 2-1/4" and 2-5/16" depending on vendor selected by Wellsford.

Minimum Size: 7"w. x 6-3/4"h.

MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Section Drawings of options available:







Drawer Panel Option












Small Drawer Front with Reduced Rails 'SDF'









Woodridge Level 5

\\ \L	, amod , f. amod	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Furniture Borniture	Plain !	Beach Set	Full O.	Matching Or Ching	Awor Front	5/0		8 / 3	Available alang	Wain Sain	100
				NA	NA			NA	NA		NA		NA	

Notes:


Available with square mullion bead only. Not available in rustic knotty woods.


Minimum Size: 9-7/16"w. x 9-7/16"h.

Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA NA NA









Slab




Small Drawer Front with 2" Framing 'SDF'



Large Drawer Front match door framing 'LDF'








NOTES



LEVEL 6



Barcelona Level 6





Notes:

Available with regular mullion bead profile only.


Minimum Size: 9-5/8"w. x 9-5/8"h.


Section Drawings of options available:





MDF Availability












Small Drawer Front with 2 5/16" Rails 'SDF'



Large Drawer Front match door framing 'LDF'





Bellevue Level 6



/	F. A.	/ 00/ Fr	SSO MIN	Furniture Bornture	Plain !	Beach Sept	Full O. 1004	Matching Of Ching	Pawor Front	~ /\$		Sido 160 Aididarii	Availabil alang	Waing	1000
										NA		NA			


Notes:

Available with matching mullion bead profile only. $1-\frac{1}{2}$ " rails on SDF available as custom quote.


Minimum Size: 8-5/8"w x 8-5/8"h


MDF Availability
1 PC 2 PC 5 PC
NA NA NA

Section Drawings of options available:





Level 6

























Brandywine Level 6




Notes:

Not available with mullions.

Minimum Size: 8-7/8"w. x 8-7/8"h.

Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA NA NA



Door Edge Profile Option

Level 6

Brandywine




3/4 Edge Profile L-1160

2 3/4 Framing Bead


Design Specific

1/4" Flat Panel

Slab



Small Drawer Front with Reduced Rails 'SDF'




Edge Profile Ľ-1160 1 1/2 Framing Bead Design Specific

1/4" Flat Panel

3/4

Large Drawer Front match door framing 'LDF'



Churchill Level 6




France Contraction of the Contra	1.00 F. 1.00 F	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Furniture Borniture	Plain L	Beach Sept	Full C.	Matching Orening	Awor Front Pagii, Front		Signal (1907) A'rigar	A Solo (A. P. P. A. Vallabor)	Waine	, , ,

Notes:			

Minimum Size:

8-7/8"w. x 8-7/8"h.


Section Drawings of options available:




Door Edge Profile and Panel Raise Option

MDF Availability
1 PC 2 PC 5 PC
NA NA


Churchill







Slab


Small Drawer Front with 2" Rails 'SDF'



Large Drawer Front match door framing 'LDF'









Lasalle Level 6


Fame	L'americano de la companya della companya della companya de la companya della com	Lym, Jags	Parities 8	Plain !	~ / c	Full 0, 100t	Watching	Pagin, Front	~ /\$		Signal (1900)	A 700 / P. D. D. P. D.	Wain.	/
				NA	NA				NA		NA		NA	

Notes:

Available in: alder, cherry, hard maple, standard maple, paint grade, and red oak only. Mullions not available.

8-5/8"w. x 8-5/8"h. Minimum Size:

Section Drawings of options available:





Door Panel Option

MDF Availability 1 PC 2 PC 5 PC


NA NA NA

Lasalle






Slab




Small Drawer Front with 2" Framing 'SDF'



Large Drawer Front match door framing 'LDF'





Rosecliff Level 6



/	France	/ 00/ Fram	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Furnius Borius	Plain (Board Sort	Full 0, 100t	Matching Oraching	Amor Front				Available alang	<i>Z</i>). /	\ \o\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
										NA		NA			

Notes:


Not available with mullions.

 $1-\frac{1}{2}$ " rails on SDF available as custom quote.


Minimum Size: 9-1/4"w x 9-1/4"h


MDF Availability
1 PC 2 PC 5 PC
NA NA NA


Section Drawings of options available:





























NOTES



LEVEL 7

Plymouth Level 7





Fam	red /	Nu Seless	Funiture Boxiture	Main L	1080t / 1080t / 1080t	Full 0,	Matching Dreching	Radii, Fort		00 F 00 1	Sido 400 Anobril	A ned P.P. A vailable dan. A sii abb	Waine	1000
								·	NA		NA			

Notes:			

Minimum Size: 7-1/2"w x 7-1/2"h

MDF Availability
1 PC 2 PC 5 PC








Door Panel Raise Option

Door Selection Guide

Plymouth









Cove A Cove


Level 7

Slab




Small Drawer Front with reduced rails 'SDF'





Large Drawer Front match door framing 'LDF'






NOTES



LEVEL 8



Crossbuck Level 8



Notes:

Mullions not available.


Minimum Size: 8"w x 8"h

Section Drawings of options available:

MDF Availability


NA NA NA

Crossbuck




Slab Drawer Front Only 'SDF' + 'LDF'

Slab




1/4" Veneer Panel





Key West Level 8



Notes:


Mullions not available.

Minimum Size: 7-1/2 "w x 7-1/2"h


Section Drawings of options available:


MDF Availability
1 PC 2 PC 5 PC
NA NA NA

Level 8




All louvers are same height






Slab





Nova RE Level 8




Notes:


Square mullions only.

Minimum Size: 9"w x 9"h.

MDF Availability
1 PC 2 PC 5 PC
NA NA NA

Section Drawings of options available:








Door Edge Profile Option


Level 8


Door Selection Guide






















NOTES



LEVEL 9



Bahama Level 9

77	Fram ()	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Funiture 800 800 800 800 800 800 800 800 800 800 800 800 800 800 800 800 800	Plain !	Beach Set	Full 0, 100 t	Matching Organia	Awar Front Radii, Front			5.00 4.00 A'S'OBE	A all about the part of the pa	(/)	100
							NA	NA	NA		NA			

Notes:

The following finish types are not available:

paint with glaze

heirloom

vintage

unitone

matte stain.


Minimum Size: 7-1/2"w x 7-1/2"h

Section Drawings of options available:

MDF Availability 1 PC 2 PC 5 PC

NA NA NA

Door Selection Guide



Slab

Edge Profile

Ľ-1160



NOTES



ALTERNATIVE MATERIALS

ALLURE - Decorative Laminate Veneer (DLV)

ALUMINUM FRAMED DOORS – Glass or Acrylic inserts

TTS – Thermally Textured Surface -

STRATA – heavier varied wood grain texture **VOGUE** – subtle, amazingly lifelike wood grain characteristics **INTRIGUE** - mild, realistic, registered & indexed wood grain texture

SYNCHRONICITY - High gloss acrylic or Super Matte

*All doors are constructed with an MDF core

Allure		Aluminum Frame Doors	
Avalon	1.156	AF002, AF003, AF007, AF011	1.200
Boca225	1.158		
Boca 300	1.160	Strata	
Cabo 225	1.162	Strata Slab	1.204
Daytona 225	1.164	Strata 3-Piece	1.206
Daytona 300	1.166	Strata 5-Piece	1.208
Delray 225	1.168		
Delray 300	1.170	Vogue	
Melbourne 225	1.172	Vogue Slab	1.212
Melbourne 300	1.174	Vogue 3-Piece	1.214
Montego 225	1.176	Vogue 5-Piece	1.216
Montego 275	1.178		
Rio 225	1.180	Intrigue	
Rio 300	1.182	Intrigue Slab	1.220
Roma 225	1.184	Intrigue 3-Piece	1.222
Roma 300	1.186	_	1.224
Sorrento 225	1.188	Intrigue 5-Piece	1.227
Sorrento 300	1.190		
Tobago 225	1.192	Synchronicity	
Veracruz225	1.194	Synchronicity – Super Matte Slab	1.228
Veracruz275	1.196	Synchronicity –Mera Slab	1.230
		Synchronicity – Vetro Slab	1.232



ALTERNATIVE MATERIALS

ALLURE



Alternative Materials Allure - Avalon

	Fram	Fram.	Pyrages /	Funiture Boriture	Plain,	Beach Inser	Full C. Inser	Watching	Radii Front	~ /3	C 00 F 011 Hings (011	Standard Africation Africat	A mod R.P. Paijablelane	()	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
35	NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Not available with mullions.

Available in: Bright White, White Dove.


Minimum Size: 2-3/4"w x 6-3/8"h







Drawer Front match door framing





Alternative Materials Allure - Boca225

To the state of th	0011	Nu Plans	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F1011 Hings (011		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Not available with mullions.


Panel recess is 3/8" from face of frame.

Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 7"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Boca300

Fram	Fram 60	Pyring Sold of the	Funiture Boriture	Plain,	Beach Inser	Full O. Inser	Matching	Radii Front	~ /\$	C 00 F 011 Fines (011	Standard Arctication	Ayaijabi alang	Wain.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NA		NA		NA	NA			NA	NA		NA	NA	NA	10.


Notes:


Not available with mullions.

Panel recess is 3/8" from face of frame.

Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 8-1/2"w x 7"h






Drawer Front reduced rails


Boca330





Drawer Front match door framing

Boca300





Alternative Materials Allure - Cabo225

/	Fram	1 100 Les	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Funda Bontus Bontus	Plain!	1984 1984	Full C. Most	Matching Office of the Control of th	Radii Front	~ /3	190 100 A	Available Ang	/) /	/ **
N	IA		NA		NA	NA			NA	NA	NA	NA	NA	6.

Notes:


Not available with mullions.


Panel recess is 3/8" from face of frame.

Available in: Bright White, White Dove.

Minimum Size: 7"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Daytona225

	/ 190 / Lay	Pywy Pywy	Furniture Bositure	Plain,	Beach Inser	Full O. Inset	Watching	Radii, Front	Standard Oor	C 20 F 10 H		Ayaijabi alang	/) /	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NA		NA		NA	NA			NA	NA		NA	NA	NA	


Notes:


Not available with mullions.


Panel recess is 1/4" from face of frame.

Available in: Bright White, White Dove.


Minimum Size: 6-1/2"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Daytona300

	ram	Fr. 200	Physics /	Funiture Boriture	Plain,	Beach Inser	Full O.	Matching	Pagii, Front	Stan S Doy Hooder		Siange 160 Arejoares	Available lang	Waine Waine	/ **
N	Α		NA		NA	NA			NA	NA		NA	NA	NA	D.

Notes:


Not available with mullions.


Panel recess is 1/4" from face of frame.

Available in: Bright White, White Dove.


Minimum Size: 7"w x 8"h







Drawer Front match door framing





Alternative Materials Allure - Delray225

To the state of th	0011	Nu Plans	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F1011 Hings (011		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Not available with mullions.


Panel recess is 1/4" from face of frame.

Available in: Bright White, White Dove.

Minimum Size: 7"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Delray300

Frank	1 00 Les	Pywy Pywy	Furnius Borius	Plain,	Beach Inser	Full C. Inser	Matching	Radii Front	Standard Oor	C 00 F1011 Hings (011		Ayaijabi alang	/)	/ **
NA		NA		NA	NA			NA	NA		NA	NA	NA	


Notes:


Not available with mullions.


Panel recess is 1/4" from face of frame.


Available in: Bright White, White Dove.

Minimum Size: 8-1/2"w x 7"h









Drawer Front match door framing

Delray300



Alternative Materials Allure - Melbourne225

/	Fram	Fram.	Physics /	Funiting Booting	Plain !	Bead.	Full 0, 100 th	Watching	Padii. Front	Standard 00,		Standar	Availabil alance	/) /	100
N	NΑ		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Not available with mullions.


Panel recess is 1/8" from face of frame.

Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye


Minimum Size: 7"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Melbourne300

Frame	Fram.	Physics /	Funiture Boriture	Plain !	Beach Inser	Full O. Insor	Matching	Palin Front	~ /\$		Ø /;	Available lang	/) /	000
NA		NA		NA	NA			NA	NA		NA	NA	NA	50.

Notes:

Not available with mullions.


Panel recess is 1/8" from face of frame.


Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye

Minimum Size: 8-1/2"w x 7"h




Melbourne300






Drawer Front reduced rails

Melbourne330





Drawer Front match door framing Melbourne300





Alternative Materials Allure - Montego225

Frank	/ 00 / Ley	Pyral Sess	Eurille 8	Plain,	Beach Insert	Full C. Inset	Watching	Pagii, Pront	~ /\$	Standard Africation Africat	A mod R. P.	Waine Value	/
NA		NA		NA	NA			NA	NA	NA	NA	NA	f6.

Notes:

Not available with mullions.

Panel recess is 3/8" from face of frame.


Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 6-1/2"w x 7"h

Door Selection Guide


Allure







Drawer Front match door framing





Alternative Materials Allure - Montego275

Fram	F. 47 (1900)	Pyraless /	Funiture 8	Plain (Beach Inser	Full O. Inset	Matching	Pagii Front	~ /s	10/00 F10/1 11/1003/11/1	Standard Africation Africat	A mod R. P.	Wain.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NA	100	NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Not available with mullions.


Panel recess is 3/8" from face of frame.

Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 6-1/2"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Rio225

Frank	1 00 Les	Pywy Pywy	Furnius Borius	Plain,	Beach Inser	Full C. Inser	Matching	Radii Front	Standard Oor	C 00 F1011 Hings (011		Ayaijabi alang	/)	/ **
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Not available with mullions.

Panel recess is 3/8" from face of frame.


Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 6-1/2"w x 7"h

Door Selection Guide




Allure











Alternative Materials Allure - Rio300

To the state of th	0011	Nu Plyne	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F 001 Hings (01)		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	


Notes:


Not available with mullions.

Panel recess is 3/8" from face of frame.


Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.

Minimum Size: 7"w x 8"h





Drawer Front match door framing





Alternative Materials Allure - Roma225

To the state of th	0011	Nu Plyne	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F 001 Hings (01)		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	


Notes:


Not available with mullions.


Panel recess is 1/8" from face of frame.

Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 6-1/2"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Roma300

To the state of th	0011	Nu Plyne	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F 001 Hings (01)		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Not available with mullions.


Panel recess is 1/8" from face of frame.

Available in: Ashen Grey, Canadian Grey, Concrete Groovz, Monaco, White Chocolate, Silva, Skye.


Minimum Size: 7"w x 8"h







Drawer Front match door framing



Mar 2021

Door Selection Guide



Alternative Materials Allure - Sorrento225

To the state of th	0011	Nu Plyne	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F 001 Hings (01)		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Not available with mullions.


Panel recess is 3/8" from face of frame.

Available in: White Dove.


Minimum Size: 6-1/2"w x 7"h







Drawer Front match door framing





Alternative Materials Allure - Sorrento300

Frank	1 00 Les	Pywy Pywy	Furnius Borius	Plain,	Beach Inser	Full C. Inser	Matching	Radii Front	Standard Oor	C 00 F1011 Hings (011		Ayaijabi alang	/)	/ **
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Not available with mullions.

Panel recess is 3/8" from face of frame.

Available in: White Dove.


Minimum Size: 7"w x 8"h


Door Selection Guide




Allure

Sorrento300





Drawer Front match door framing





Alternative Materials Allure - Tobago225

To the state of th	0011	Nu Plyne	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F 001 10 00 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Not available with mullions.

Panel recess is 3/8" from face of frame.


Available in: Bright White, White Dove.


Minimum Size: 6-1/2"w x 7"h

Door Selection Guide




Allure











Alternative Materials Allure - Veracruz225

To the state of th	0011	Nu Plyne	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Plain,	Beach Inser	Full O Insor	Matching	Padii Front	Standard Oor	10 00 F 001 10 00 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		A ned P. P. P. Vallable	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Not available with mullions.

Panel recess is 3/8" from face of frame.

Available in: Bright White.


Minimum Size: 6-1/2"w x 7"h


Door Selection Guide




Allure

Veracruz225





Drawer Front match door framing





Alternative Materials Allure - Veracruz275

Frank	1 00 Les	Pyroless /	Furniture Boriture	Plain,	Bead.	Full 0.	Matching	Radii, Front	Stan 00 00 H	10/00 F10 H	Ø /3	Ayaijabi alang	/) /	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NA		NA		NA	NA			NA	NA		NA	NA	NA	10.

Notes:

Not available with mullions.

Panel recess is 3/8" from face of frame.

Available in: Bright White.


Minimum Size: 6-1/2"w x 7"h


Door Selection Guide




Allure

Veracruz275





Drawer Front match door framing





Allure Color Availability Chart

		Sr	nooth Pa	ainted lo	ok	Woodgrain Texture							
		Bright White	White Dove	Canadian Grey	Ashen Grey	Concrete Groovz	Monaco	White Chocolate	Silva	Skye			
	Daytona 225	Х	Х										
	Daytona 300	Х	Х										
	Montego 225			Х	Х	Х	Х	Х	Х	Х			
٦	Montego 275			Х	Х	Х	Х	Х	Х	Х			
Mitered Construction	Rio 225			Х	Х	Х	Х	Х	Х	Х			
stru	Rio 300			Х	Х	Х	Х	Х	Х	Х			
0	Roma 225			х	х	х	х	Х	Х	х			
eq	Roma 300			х	х	х	х	Х	Х	х			
liter	Sorrento 225		Х										
Σ	Sorrento 300		Х										
	Tobago 225	х	Х										
	Veracruz 225	Х											
	Veracruz 275	х											
Slab	Avalon	х	х										
	Boca 225			Х	Х	Х	Х	X	Х	Х			
tion	Boca 300			Х	Х	Х	Х	Х	Х	Х			
truc	Cabo 225	Х	Х										
M&T Construction	Delray 225	Х	Х										
Ŭ	Delray 300	Х	Х							X			
M&	Melbourne 225			Х	Х	Х	Х	Х	Х	Х			
	Melbourne 300			Χ	Χ	Χ	Χ	Х	Х	Х			

[&]quot;x" indicates door-color combination is available

The numbers in the door name refer to the framing width of the door. 225 = 2-1/4" framing 275 = 2-3/4" framing 300 = 3" framing



ALTERNATIVE MATERIALS

ALUMINUM FRAME DOORS



Alternative Materials Aluminum Frame Doors

T. S.	 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Popular Bonitare	Plain,	Beach Insert	Full 0, 100 to 1	Matching Ortching	Radii Front	~ /3	10/00 Fight 10/10/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/11/19/19		Available lance	/) /	100
			NA	NA		NA	NA	NA		NA	NA	NA	

Notes:

4 frame options available.

Available in: Natural aluminum, black, oil rubbed bronze, brushed stainless steel, and white.

AF003 also available in chrome and Arctic Gold

25 insert options for center panels


Touch latches are recommended.


Can be hinged as lift up door using Blum Aventos hinges.


Drilling for decorative hardware is available. Requires detailed drawing.


Minimum Size: 6"w x 6"h Maximum size: 96" and/or 10 sq ft.

Aluminum Frame Doors









Door Selection Guide



NOTES




ALTERNATIVE MATERIALS

STRATA



Alternative Materials Strata - Slab




Notes:

Door - Vertical grain standard, horizontal grain available
Sequential grain match available – max 48" x 96"

Drawer Head – Horizontal grain standard
Vertical grain available – sequential grain match recommended
1-lite glass door - uses 5 piece construction
Not available with mullions
Max size is 48" x 96".

Minimum Size: 2-3/4"w x 6-3/8"h

Strata





Drawer Front match door framing





Alternative Materials Strata - 3-Piece


Fram	/ DO / LOS	SSO MAN	Funiture 8	Plain,	Boad Inset	Full O. Insor	Watching	Pagii Front	5/0		A mod R.P. A vailable dans	()	/ ***
NA		NA		NA	NA			NA	NA	NA	NA	NA	

Notes:


Horizontal grain on center panel, vertical grain on stiles. 1-lite glass door uses 5 piece construction.


Minimum Size: 8-3/4"w x 5"h

Strata



Drawer Front match door framing







Alternative Materials Strata - 5- Piece

/	Fam	Fram.	Pyroless /	Furniture Boriture	Plain,	Beach Insert	Full 0.	Watching	Radii, Front	Stan 60, 1	00 Fig. 1	J /	Available lang	/)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	VΑ		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Door - Vertical grain on center panel is standard.

Horizontal grain is available.

Drawer Head - Horizontal grain standard


1-lite glass door uses 5 piece construction.


Not available with mullions


Minimum Size: 8-3/4" w x 7"h





Strata













NOTES



ALTERNATIVE MATERIALS

VOGUE



Alternative Materials Vogue - Slab

Teg.	/ Doll Doll	SSON	Furniture Borniure	Plain !	Beach Inser	Full 0.	Matching	Payor Front	~ /\$		Standar	Available lang	Wain.	/ **
NA		NA		NA	NA			NA	NA		NA	NA	NA	10.


Notes:

Door - Vertical grain standard, horizontal grain available
Sequential grain match available – max 48" x 96"

Drawer Head – Horizontal grain standard
Vertical grain available – sequential grain match recommended
1-lite glass door uses 5 piece construction
Not available with mullions
Max size is 48" x 96".

Minimum Size: 2-3/4"w x 6-3/8"h

Vogue





Drawer Front match door framing



Mar 2021

Door Selection Guide



Alternative Materials Vogue - 3-Piece


To July 1	0011	NW.	Furniture Boxiture	Plain,	Beach Inser	Full O. Insor	Matching	Pagii, Front	Stan S Dog H	10 00 F1011 10 00 011 11 00 00 011	Ø /3	A ned P. P. P. A vailable along	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:


Horizontal grain on center panel, vertical grain on stiles. 1-lite glass door uses 5 piece construction.


Minimum Size: 8-3/4"w x 5"h

Vogue



Drawer Front match door framing







Alternative Materials Vogue - 5-Piece

To July 1	0011	NW.	Furniture Boxiture	Plain,	Beach Inser	Full O. Insor	Matching	Pagii, Front	Stan S Dog H	10 00 F1011 10 00 011 11 00 00 011	Ø /3	A ned P. P. P. A vailable along	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Door - Vertical grain on center panel is standard.

Horizontal grain is available.

Drawer Head – Horizontal grain standard


1-lite glass door uses 5 piece construction.


Not available with mullions

Minimum Size: 8-3/4"w x 7"h


Vogue









Drawer Front reduced rails





Drawer Front match door framing





NOTES




ALTERNATIVE MATERIALS

INTRIGUE



Alternative Materials Intrigue - Slab




Notes:

Door - Vertical grain standard, horizontal grain available
Sequential grain match available – max 48" x 96"

Drawer Head – Horizontal grain standard
Vertical grain available – sequential grain match recommended
1-lite glass door uses 5 piece construction
Not available with mullions
Max size is 48" x 96".

Minimum Size: 2-3/4"w x 6-3/8"h

Intrigue



Drawer Front match door framing





Alternative Materials Intrigue - 3-Piece

Fram	F. 47 (1900)	Pyral Sess	Funiture 8	Plain (Beach Inser	Full C. Inset	Matching	Pagii Front	~ /s	10/00 F1011 11/1003/11	Standard Africation Africat	A mod R. P.	Wain.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NA	100	NA		NA	NA			NA	NA		NA	NA	NA	


Notes:

Horizontal grain on center panel, vertical grain on stiles. 1-lite glass door uses 5 piece construction.


Minimum Size: 8-3/4"w x 5"h


Intrigue

1.223



Drawer Front match door framing







Alternative Materials Intrigue - 5-Piece

To July 1	0011	NW.	Furniture Boxiture	Plain,	Beach Inser	Full O. Insor	Matching	Pagii, Front	Stan S Dog H	10 00 F1011 10 00 011 11 00 00 011	Ø /3	A ned P. P. P. A vailable along	/)	/
NA		NA		NA	NA			NA	NA		NA	NA	NA	

Notes:

Door - Vertical grain on center panel is standard.

Horizontal grain is available.

Drawer Head – Horizontal grain standard


1-lite glass door uses 5 piece construction.


Not available with mullions

Minimum Size: 8-3/4"w x 7"h


Intrigue









Drawer Front reduced rails





Drawer Front match door framing





NOTES



ALTERNATIVE MATERIALS

SYNCHRONICITY



Alternative Materials Synchronicity - Super Matte Slab

Frank	Fram 100	SSO MIN	Furnium Bornium	Plain !	Beach Sey	Full 0.	Matching	Pamor Front	Standard Oor H		- / -	A all all all all all all all all all al	()	100
NA			NA	NA	NA			NA	NA		NA	NA	NA	

Notes:

All matte products are shipped with a protective peel coat.


Peel coat eraser and matte care kit are suggested.

1-lite glass door available


Heat shield strips are suggested next to a range or oven

Minimum Size: 2-3/4"w x 6-3/8"h

Synchronicity



Drawer Front match door framing





Alternative Materials Synchronicity - Mera Slab

Frank	Fram 60	Pym Pym	Furnius Bornius	Plain,	Beach Inser	Full C. Inser	Matching Ortching	Radii Front	5/0	10 00 F	Standard Africard	A mod R. D. A aijabi dane	/) /	100
NA			NA	NA	NA			NA	NA		NA	NA	NA	

Notes:

All high gloss products are shipped with a protective peel coat.


Peel coat eraser and high gloss care kit are suggested.

1-lite glass door available

Heat shield strips are suggested next to a range or oven.

Minimum Size: 2-3/4"w x 6-3/8"h

Synchronicity





Drawer Front match door framing





Alternative Materials Synchronicity - Vetro Slab

Fam	F.am.	Pyra Property	Furniture Boniture	Plain,	~ / c	Full O. Inset	Watching Orching	Radii Front	~ /S	00 F 00 1	Ø /3	A med R. P. P. Wailable Alang	/) /	100
NA			NA	NA	NA		10	NA	NA		NA	NA	NA	

Notes:

All high gloss products are shipped with a protective peel coat.


Peel coat eraser and high gloss care kit are suggested.


1-lite glass door available

Heat shield strips are suggested next to a range or oven.

Minimum Size: 2-3/4"w x 6-3/8"h

Synchronicity





Drawer Front match door framing





NOTES



WOOD DOOR DESIGN OPTIONS



Edge Profiles

Inset Edge Profiles:

Standard Inset Face Frame Edge P	rofiles:		
Available as ¾" or 1" face frames:			
1" face frames: available with any 34" door with standard edge profile OR with 1" specialty doors with corresponding edge profile:	1/4" bead	3/8" bead	non-bead
corresponding edge profile.	V-bead	ogee bead	French Inset
Standard Inset Door Edge Profiles:			
L-253 5 degree back bevel	1/16" L-1160 INSET radius 5 degree back bevel	1/8" L-686 radius 5 degree back beve	
Specialty 1" Inset Door Edge Profile profile 1" face frame or with any 34" f	-	similar	
L-1117	L-1120	L-96	7
5 degree back bevel	5 degree back bevel	5 degree back bevel	I
3/8" Inset Edge Profiles:			
B 3/4" Only	V 3/4" Only	PRS 3/4	" Only
C 3/4" Only	H 3/4" Only	E 1"	Only



Edge Profiles

Knife Hinge Edge Profiles and Specialty

L-772 3/4" & 1"

J-2 ¾" & 1"

RC-2 3/4" & 1"

L-947 3/4" & 1"

Bullnose 3/4" Only

FP 3/4" Only

L-061 3/4" Only

L-120 ¾" & 1"

CFP 3/4" & 1"

E-2 3/4" & 1"

C-2 3/4" & 1"

Concealed Hinge or Knife Hinge Edge Profiles

ME 3/4" & 1"

L-1160 - 3/4" & 1" 1/16" Radius 1/16" Radius _top & bottom L-034 - 3/4" & 1" 3/32" Radius

L-149 – 3/4" & 1" 1/8" Radius

B-2 - 3/4" & 1"

L-059 - 3/4" & 1" 3/8" Radius

PRS-2 - 3/4" & 1"

L-382 - if Full overlay 3/4" Only

LC-2 - 3/4" & 1"

CFP-2 - 3/4" & 1"

L-281 - 3/4" & 1"

V-2 - 3/4" & 1"

H-2 3/4" & 1"

L-803 - ¾" & 1"

Colonial - 3/4" & 1"

L-297 - ¾" & 1"


Up-charge per Door

LC Inset - 3/4" & 1"

Up-charge per Door



STANDARD FRAMING BEADS FOR DOORS AND DRAWER FRONTS




Not all framing beads are available with all door designs.

Design cost includes choice of framing bead.


Sample kits are available for edge profiles, framing beads and panel raises.


SPECIALTY FRAMING BEADS FOR 3/4" DOORS AND DRAWER FRONTS






SPECIALTY FRAMING BEADS FOR 1" THICK DOORS AND DRAWER FRONTS







FB 615



FB 1370






FB 1416




Panel Raises



Not all panel raises are available with all door designs.





DESIGN NOTE:

- Not all framing beads have a matching mullion profile available.
- Only the following framing beads have a matching mullion profile:

Regular

Ogee


Square

F-007

F-1223


Elite and F-877 framing beads will get regular mullion profile

Glass Retainer Molding



Mullion doors have a clear retainer molding as standard. It is sized for 1/8" glass thickness.

For glass thicker than 1/8", use wood retainer molding below.




A wood retainer molding is used when glass thickness exceeds 1/8", or when the door is on a radius.

Wood retainer molding is only available on doors with 2-3/4" framing or greater.

Use modification: WOODRETAINER

MULLION PROFILES

All mullion doors must have one of the five beads shown here. These beads will be on the center mullion strips only. Frame of door will be as shown in Door Selection Guide. For mullion door availability, see specific door style page. Arched lite and double arched lite are not available with the oaee mullion.



0.250

REGULAR BEAD MULLION

0.625


Regular Shown

SQUARE BEAD MULLION



F-1223 BEAD MULLION





OGEE BEAD MULLION



GLASS OPTIONS

STANDARD 1/8" GLASS OPTIONS - listed in Advanceware:

Clear German Antique clear Seeded Tight Wave

Mirror

CUSTOM GLASS OPTIONS -


See your glass sample kit for available options. Contact the order desk for current pricina.



Standard Lite Mullion Door

See exceptions p 1.241

8-LITE
10-LITE
12-LITE



Specify 1,4,6,8,10 & 12 lite

All lites are spaced evenly unless otherwise requested Minimum size of 7 7/8" x 7 7/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Specify glass selection in QOE prompt.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

11 Lite Prairie Mullion Door

See exceptions p 1.241



2" x 2" corner lites standard.

Minimum size of 11 7/8" x 14-5/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Must order glass separately.


Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

11-LITEP

Odyssey Mullion Door

See exceptions p 1.241



6-lite design with 2 mullion strips extending below horizontal Minimum size of 14 7/8" x 11 3/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis. Prepped for glass thickness of 1/8".

Must order glass separately.


Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

ODYSSEY

9 Lite Prairie Mullion Door

See exceptions p 1.241



2" x 2" corner lites standard.

Minimum size of 11 7/8" x 11 7/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.


9-LITEP



Arched Lite Mullion Doors

See exceptions p 1.241

Ogee not available



Features 7 radius lites

Minimum size of 11 5/8" x 9 5/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.


Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

ARCHED

Double Arched Lite Mullion Doors

See exceptions p 1.241

Ogee not available



Features 12 radius lites

Minimum size of 11 5/8" x 14 15/16"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Must order glass separately.


Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

DOUBLE - ARCHED

Diamond Mullion Doors

See exceptions p 1.241



Features 4" x 4" diamond lite centered left and right

Starts 4 1/2" down from top rail.

Minimum size of 12 5/8" x 18 5/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.


Order these doors on the accessory line under the cabinet.

Be sure to include a finished interior modification if needed.

DIAMOND

Double Diamond Mullion Doors

See exceptions p 1.241



Features 4" x 4" diamond lite centered left and right Starts 4 1/2" down from top rail, and 4 1/2" up from bottom.

Minimum size of 12 5/8" x 25-1/4"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

DOUBLE - DIAMOND



Double Bow

See exceptions p 1.241



Features 4 radius lites
Minimum size of 11 5/8" x 11 5/8"
Clear retainer strip is standard.
True divided lite option is available on cus

True divided lite option is available on custom quote basis. Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

DOUBLE BOW

Double Bow Diamond

See exceptions p 1.241



Features radius and angular lites (12 total) Minimum size of 11 5/8" x 14 15/16"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis. Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

DOUBLE BOW DIAMOND

Vessica

See exceptions p 1.241



Features 7 radius lites
Minimum size of 8 5/8" x 15 15/16"
Clear retainer strip is standard.
True divided lite option is available on o

True divided lite option is available on custom quote basis. Prepped for glass thickness of 1/8".


Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

Half Vessica

See exceptions p 1.241



Features 4 radius lites Minimum size of 8 5/8" x 12 5/8"

Clear retainer strip is standard.

True divided lite option is available on custom quote basis. Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

VESSICA

HALF VESSICA



Arched Horizontal

See exceptions p 1.241




Features 11 radius lites
Rectangular lites vary with door height
Minimum size of 11 5/8" x 9 5/8"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

ARCHED HORIZONTAL

Hourglass Diamond

See exceptions p 1.241




Features 12 radius lites
Minimum size of 11 5/8" x 14 15/16"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

HOURGLASS DIAMOND

20 Lite Double Diamond

See exceptions p 1.241



Features 20 lites with 2 diamond lites centered in door Minimum size of 12 5/8" x 18 5/8" Clear retainer strip is standard.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet.

Be sure to include a finished interior modification if needed.

20-LITE DOUBLE DIAMOND

Elliptical Mullion

See exceptions p 1.241



Features elliptical shape in center of door Minimum elliptical opening is 2-1/2" x 5"

Must specify size of elliptical opening

Minimum size of 12 5/8" x 13 5/8"

Clear retainer strip is standard.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet.

Be sure to include a finished interior modification if needed.

ELLIPTICAL MULLION



X-Lite Mullion Door

See exceptions p 1.241



Diagonal mullion pattern
Minimum size of 8 5/8" x 8 5/8"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

X-LITE

X-Lite Solid Hub Mullion Door

See exceptions p 1.241



Features solid center hub

Hub diameter varies from 3" to 3-1/4" depending on framing bead Minimum size of 9 5/8" x 9 5/8"

Clear retainer strip is standard.

Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet.

Be sure to include a finished interior modification if needed.

X-LITE SOLID HUB

X-Lite Open Hub Mullion Doors

See exceptions p 1.241




Features open center hub.
Hub diameter varies from 3" to 3-1/4"
depending on framing bead
Minimum size of 9 5/8" x 9 5/8"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

DIAMOND

X-Lite Panel Mullion Doors

See exceptions p 1.241



Features X-mullion top panel with solid lower panel Minimum size of 8 5/8" x 15 5/8" Clear retainer strip is standard. Prepped for glass thickness of 1/8". Must order glass separately. Glass will be shipped installed in door. Order these doors on the accessory line under the cabinet. Be sure to include a finished interior modification if needed.

DOUBLE - DIAMOND



Double X Mullion Doors

See exceptions p 1.241

Ogee not available



Features diagonal mullion pattern
Minimum size of 8-5/8" x 13-1/8"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

ARCHED

Double X Horizontal Mullion Doors

See exceptions p 1.241

Ogee not available



Features diagonal mullion pattern
Minimum size of 8-5/8" x 13-1/8"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

DOUBLE - ARCHED

Triple X Mullion Doors

See exceptions p 1.241



Features diagonal mullion pattern
Minimum size of 8-5/8" x 17-3/4"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

DIAMOND

Triple X Horizontal Mullion Doors

See exceptions p 1.241



Features diagonal mullion pattern
Minimum size of 8-5/8" x 17-3/4"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.

DOUBLE - DIAMOND




Soji Mullion Doors

See exceptions p 1.241

Ogee not available

Features rectangular lites
Horizontal mullions only
Minimum size of 11 5/8" x 9 5/8"
Clear retainer strip is standard.
Prepped for glass thickness of 1/8".
Must order glass separately.
Glass will be shipped installed in door.
Order these doors on the accessory line under the cabinet.
Be sure to include a finished interior modification if needed.





Quarter Circle Doors with Square Top

Minimum width of 9 ½"

Minimum height of width plus 2 ½".

Order these doors on the accessory line under the cabinet.

Mullion Doors

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.


Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet.

Be sure to include a finished interior modification if needed.



Available to match Alexandria, Columbus, Augusta, Washington, Olympia, Quaker, Amesbury, Shaker, Franklin, and Prestwick.

Quarter Circle Doors with Radius Top

Minimum width of 9 ½"

Minimum height of width plus 2 ½".

Order these doors on the accessory line under the cabinet.

Mullion Doors

Clear retainer strip is standard.

True divided lite option is available on custom quote basis.


Prepped for glass thickness of 1/8".

Must order glass separately.

Glass will be shipped installed in door.

Order these doors on the accessory line under the cabinet.

Be sure to include a finished interior modification if needed.



Available to match Alexandria, Columbus, Augusta, Washington, Olympia, Quaker, Amesbury, Shaker, Franklin, and Prestwick.

These doors require a custom cabinet. Face frame opening will be on a radius. Inset and beaded inset are available. A drawing must be submitted for a quote.



Cathedral Door Option



Available on all Level I doors except Astoria. When selected, it is standard on all upper doors of wall and tall cabinets. Per door charge.

Arch Door Option



Available on all Level I doors except Astoria. When selected, it is standard on all upper doors of wall and tall cabinets. Per door charge.

Miter Door Option



Available on all Level I doors except Astoria. When selected, it will appear on all doors. Use this option to eliminate the visible end grain of the stiles. Per door charge.

Half Arch Door Option


HR20 shown




Available on all Level I doors except Astoria. You must specify where these doors are to be used. They can be used in pairs (right shown) on double door cabinets or wainscot panels. Apply by using HR20 / HL20 modification. Per door charge.




Back Routed Hand Pull






Specify location: top or bottom and left, right or centered. Rout is 3-5/8" wide and 3/8" deep. When specifying left or right hand, pull will start 3" in from edge of door. Hand pull is centered on doors less then 10" wide. Not available on 3/8" Inset, Beaded Inset, or Plain Inset.

Face Routed Hand Pull






Specify location: top or bottom and left, right or centered. Rout is 4" wide and 1/2" deep. When specifying left or right hand, pull will start 3" in from edge of door. Hand pull is centered on doors less then 10" wide.

Not available on 3/8" Inset, Beaded Inset, or Plain Inset. Not available on the Washington or Astoria doors.



Rout Options

G-012 Rout




Groove Width: 1/4"

Groove Depth: 1/16"

1-1/2" spacing from center of groove to center standard. Groove pattern begins from center of panel. Custom spacing available. Per panel charge.


G-056 Rout



Groove width: 3/8" Groove depth: 1/8" 1-1/2" spacing from center of groove to center standard. Groove pattern begins from center of panel. Custom spacing available.

Per panel charge.

G-142 Rout




Groove width: ¼"
Groove depth: 1/16"

1-1/2" spacing from center of groove to center standard. Groove pattern begins from center of panel.

Custom spacing available.

Per panel charge.


G-015 Rout



1-1/2" spacing

1-1/2" spacing from center of groove to center standard. Groove pattern begins from center of panel. Per panel charge.

Camelot Rout





Grooves are on stiles and rails. Groove pattern begins from center of panel. Custom spacing available.

A stile only groove is available as an option.

Must be specified when ordering.

Cannot be used with Madison, Austin, applied molding or mitered designs.

Per panel charge.


Mar 2021


Door Selection Guide



Peg Options

5/8" Raised Pegs







Specify quantity and locations. If location is not specified, pegs will be located 1-3/16" from inside of framing bead to center of peg. Available in White Birch only. Add 2 days to lead time.

Per door charge.

5/16" Square Pegs







Specify quantity, location and specie. If location is not specified, pegs will be located 1-3/16" from inside of framing bead to center of peg. Any standard specie available. Add 2 days to lead time.

Per door charge.

1/2" Round Pegs






Specify quantity, location and specie. If location is not specified, pegs will be located 1-3/16" from inside of framing bead to center of peg. Available in Red Oak, Cherry, Walnut or White Birch. Add 2 days to lead time.

Per door charge.

203 Routed Pea





Center of rout is placed 1-3/16" from inside of framing bead. Add 2 days to lead time.

Per door charge.



Distressing



Rendering represents example only.
Distressing is a random treatment;
Appearance of distressing will vary from piece to piece.
A physical sample should be purchased before placing an order.


*Plywood will not be distressed. We recommend wainscot finished ends.


Antiquing (Rub-Thru)

Antiquing is a <u>post-stain</u> random sanding of corners and edges exposing the natural wood which is then varnished. This gives the effect of the stain color being rubbed through to expose the natural wood color. It provides a worn look to complement one of our distressing packages. Combine this with the wear sanding option to achieve a heavier level of antiquing.

Per door charge.

Radius Corners





Specify 1/8", ¼", ½", or 1" radius. Available with B-2, C-2, LC-2, L-059, O, L149, machine edge and PRS-2 edge profiles only.

Per door charge

Description of Levels

Level 1

A random distribution of nicks and impressions.

Level 2

A random distribution of nicks and impressions, plus simulated worm holes, razor cuts and cut joints.

Level 3

A random distribution of nicks and impressions, simulated wormholes plus powder beetle damage, rasp marks and cracks.

Wear Sanding



This option provides an aged appearance to unfinished doors and drawer fronts.

On raised panel designs, sanding is applied to the corners of the panel and the outside corner of the framing.

Flat panel, mullions and frame only designs will receive sanding on the outside corners of the frame only. Sanding will be random and each corner will vary with appearance.

Wear sanding is available with all published panel raises and edge profiles.

The wear sanding option is available as a stand alone feature and is also offered with distressing as described above.



Distressing & Antiquing

There are different levels of distressing and antiquing available to suit your customer's needs. Custom distressing or antiquing is not available. We offer only our standardized interpretation of these treatments. We recommend not using a sample chip to sell distressed or antiqued cabinetry. Please order a sample door for your customer's approval.

Where distressing and antiquing occur:

Distressing and antiquing typically occur on the doors and drawer heads of the cabinetry. There are some cases where the different treatments are found on the cabinet face frames and moldings. The type of door style is the determining factor.

Overlay Styles

No distressing on face frames No antiquing on face frames Distressing on hardwood moldings Antiquing on the edges of the hardwood moldings

Plain Inset & Beaded Inset Styles

Distressing occurs on face frames and all hardwood molding. Antiquing occurs on inside corners of face frame and edges of hardwood molding.

Important information about distressing and antiquing:

Finished sides and back panels will not receive distressing or antiquing. A guideline for this is: if it is plywood, then there is no distressing or antiquing.

If you desire antiquing or distressing on the finished sides and back panels you will need to order either an applied door or a wainscot side. (See p. 0.42-0.43) for the different types of wainscot).

Keep in mind that distressing and antiquing are random applications designed to convey an aged appearance. Most distress marks will not typically appear on the raised panel portion of doors or drawer heads.


The extent to which a distressing level impacts the look of the finished product will vary depending on wood species, door style, and the selected finish. **Please order a sample door for your customer's approval.**

Remember: all treatments are random.

Typically, there will not be any treatment on the panel raise.



WEATHERED GRAIN OPTION



The weathering treatment is available on Quarter Sawn White Oak only. This treatment removes softer portions of the wood surface to give a highly textured look and feel. Framing beads and center panel grooves will be smooth. Only the face and outside edge of the doors and drawer fronts will be weathered. The weathered grain treatment is only available on the following edges: ME, L-1160, L-034 and L-149 (see p. 1.235). Available door styles are Bristol, Dover, Olympia, Quaker, Alexandria, Amesbury, Shaker, Stockholm, Prestwick and Crossbuck. Square Recessed and Square Raised are also be used but not all options are available. (See above or contact the Order Desk to confirm availability of your selections.) Plain inset is available and will have weathered face frames.

Stained finishes will have greater variation because the product cannot be sanded after the weathering process. A 5° flat sheen top coat is standard, with an option for a 15° low sheen.

The following 8' moldings are available weathered: B09 beaded panel, #13 batten, #14 scribe, #381 baseboard, #538 Shaker crown, 31126 Shaker crown, #1529 reverse Shaker crown, #1809 scribe, #2316 scribe, #2317 scribe. Plywood parts are not available with the weathering treatment.